

ESD Electronic-Super-Knips® , side cutter, fine, 125 mm



Electronic Super Knips® ESD precision pliers for finest cutting work, e.g. in electronics and precision mechanics. Handles electrically conductive - dissipative. Ground, very sharp cutting edges without facet. Shear cut with controlled micro cutting edge offset for long life and ultra-precise cutting of even the thinnest wires. Precisely shaped tips also cut adjacent wires from \varnothing 0.2 mm. Joint with stainless steel rivet. Extremely smooth action for fatigue-free work. With opening spring and opening limiter. Cutting edge hardness approx. 54 HRC. INOX tool steel. - Shape: 0 - Cutting values medium hard wire (diameter): \varnothing 1,0mm - Cutting values soft wire (diameter): \varnothing 0,2 - 1,6mm - Jaw length (B): 9mm - Jaw thickness (at joint) (D): 7,5mm - Head width (A): 13,5mm - ESD: Yes

- Precision pliers for finest cutting work, e.g. in electronics and precision mechanics
- Handles electrically conductive - dissipative
- Ground, very sharp cutting edges without facet
- Shear cut with controlled micro cutting edge offset for long service life and ultra-precise cutting of even the thinnest wires
- Precisely shaped tips also cut adjacent wires from \varnothing 0.2 mm
- Joint with stainless steel rivet
- Extremely smooth action for fatigue-free work
- With opening spring and opening limiter

Item no.	WL13359
Model	78 03 125 ESD
Manufacturer	KNIPEX
Manufacturer article no.	78 03 125 ESD
GPSR manufacturer data	KNIPEX-Werk Oberkamper Strasse 13 DE-42349 Wuppertal-Cronenberg

www.knipex.de

Length	128 mm
Width	77 mm
Height	11 mm
Length with packaging	189 mm
Width with packaging	73 mm
Height with packaging	49 mm
Volume with packaging	0.64 dm ³
Sales unit	1 piece
Content unit	1 piece
Type of packaging	single pack
Standards	DIN EN 61 340-5, DIN ISO 9654
Product series	Electronic-Super-Knips®
RoHS compliant	no
VDE	no
Cut shape	without bevel
ESD compliant	yes
Tool length	125 mm
Type of side cutters	side cutter
Grip (expression)	With multi-component sheaths
Cutting value wire diameter (medium)	1 mm
Cutting value wire diameter (soft)	1.6 mm