

side cutters, 80 series, oval jaws, antistatic, fine bevel, 0.3-2 mm



Side cutters with oval jaws, ideal for work on cable harnesses and for assembling printed circuit boards.

Made of high-performance ball bearing steel, burnished. Cutting and jaws computer-ground, thus highest precision and constant quality. Induction hardening of the cutting edges to 63-65 HRC. With plastic handles and opening spring.

- Cutting capacity copper D = 0.3-2 mm
- Version "CO" with antistatic, conductive handle covers.

| | |
|--------------------------|-----------|
| item number | WL16035 |
| model | 8161-CO |
| manufacturer | LINDSTRÖM |
| manufacturer item number | 8161 CO |
| length | 165 mm |
| width | 100 mm |
| height | 75 mm |

| | |
|------------------------------|-----------------|
| order unit | 1 piece |
| content unit | 1 piece |
| product series | 80 series |
| VDE | no |
| head width | 16 mm |
| jaw form | oval |
| Cut form | small bevel |
| ESD safe | no |
| Cutting capacity side cutter | 0,3 - 2 mm |
| Cutting edge design | with fine bevel |
| Jaw shape | oval |
| tool length | 125 mm |
| type of side cutter | side cutter |
| length of jaws | 16 mm |

Other versions

| item number | Cutting capacity side cutter | Cutting edge design | Jaw shape |
|----------------|------------------------------|------------------------|----------------------|
| WL52706 | 0,1 - 0,8 mm | without bevel | sharpened to a point |
| WL23832 | 0,1 - 1 mm | without bevel | oval |
| WL52705 | 0,1 - 1,25 mm | without bevel | oval |
| WL16021 | 0,2 - 1,6 mm | with fine bevel | oval |
| WL23223 | 0,2 - 1,25 mm | with fine bevel | pointed |
| WL15998 | 0,2 - 1,25 mm | with bevel | oval |
| WL52707 | 0,3 - 1,6 mm | without bevel | oval |
| WL16035 | 0,3 - 2 mm | with fine bevel | oval |
| WL16038 | 0,4 - 2 mm | with bevel | oval |