

## Protector, rectangular, 12 x 23 mm

---



The rectangular protective cup measuring 12 x 23 mm is an indispensable accessory for hot air repair stations. It concentrates the heat precisely on the desired area and at the same time protects adjacent components from unwanted heat. For optimum results, the protective cup should be the right size for the component to be desoldered. Although it can be used without a tripod, the combination with a tripod enables clean and efficient removal of the component. Ideal for precise repair work.

- rectangular - without tripod
- for hot-air repair stations
- protects the adjacent components
- concentrates the heat on the desired area
- The protective cup should have the appropriate size of the component to be desoldered.
- can be used with a tripod to cleanly remove the component

Item no.

WL23242

---

Products for the electronic industry



Model	0001249 / P1249
Manufacturer	JBC
Manufacturer article no.	P1249
GPSR manufacturer data	JBC Soldering SL Ramón y Cajal 3 ES-08750 Molins De Rei www.jbctools.com
Length with packaging	80 mm
Width with packaging	40 mm
Height with packaging	35 mm
Sales unit	1 piece
Content unit	1 piece
Length (protective cup)	12 mm
Width (protective cup)	23 mm
Shape	rectangular
Dimensions	12 x 23 mm
ESD compliant	no

## Other versions

Item no.	Length (protective cup) x Width (protective cup)
WL23238	4.3 mm x 3 mm
WL23239	5.2 mm x 7.5 mm
WL23240	5.2 mm x 9.5 mm
WL23241	6.2 mm x 4.2 mm
WL13143	9 mm x 13 mm
WL13144	9.5 mm x 19 mm
WL13146	9.5 mm x 21 mm
WL13145	10.5 mm x 21 mm
WL13147	11 mm x 16 mm
WL13134	12 mm x 17 mm
<b>WL23242</b>	<b>12 mm x 23 mm</b>
WL23243	13 mm x 31.5 mm
WL13141	13.5 mm x 21.5 mm
WL23245	18 mm x 29 mm

WL23246	18.5 mm x 24 mm
WL23249	33 mm x 46 mm
WL23251	52.5 mm x 14 mm

