

## Protector, rectangular, 13 x 31.5 mm

---



The rectangular protective cup from JBC, measuring 13 x 31.5 mm, is an indispensable accessory for hot air repair stations. It concentrates the heat precisely on the desired area and at the same time protects adjacent components from unwanted heat. The protective cup should be selected in the right size for the component to be desoldered in order to achieve optimum results. It can also be used in combination with a tripod to remove components cleanly and efficiently. Ideal for precise and safe repair work.

- rectangular - without tripod
- for hot-air repair stations
- protects the adjacent components
- concentrates the heat on the desired area
- The protective cup should have the appropriate size of the component to be desoldered.
- can be used with a tripod to cleanly remove the component

Item no.

WL23243

---

Products for the electronic industry



Model	0001593 / P1593
Manufacturer	JBC
Manufacturer article no.	P1593
GPSR manufacturer data	JBC Soldering SL Ramón y Cajal 3 ES-08750 Molins De Rei www.jbctools.com
Length with packaging	80 mm
Width with packaging	40 mm
Height with packaging	35 mm
Sales unit	1 piece
Content unit	1 piece
Length (protective cup)	13 mm
Width (protective cup)	31.5 mm
Shape	rectangular
Dimensions	13 x 31,5 mm
ESD compliant	no

## Other versions

Item no.	Length (protective cup) x Width (protective cup)
WL23238	4.3 mm x 3 mm
WL23239	5.2 mm x 7.5 mm
WL23240	5.2 mm x 9.5 mm
WL23241	6.2 mm x 4.2 mm
WL13143	9 mm x 13 mm
WL13144	9.5 mm x 19 mm
WL13146	9.5 mm x 21 mm
WL13145	10.5 mm x 21 mm
WL13147	11 mm x 16 mm
WL13134	12 mm x 17 mm
WL23242	12 mm x 23 mm
<b>WL23243</b>	<b>13 mm x 31.5 mm</b>
WL13141	13.5 mm x 21.5 mm
WL23245	18 mm x 29 mm

WL23246	18.5 mm x 24 mm
WL23249	33 mm x 46 mm
WL23251	52.5 mm x 14 mm

