

Protector, rectangular, 18.5 x 24 mm



The rectangular protective cup from JBC, measuring 18.5 x 24 mm, is an indispensable accessory for hot air repair stations. It concentrates the heat precisely on the desired area and at the same time protects adjacent components from unwanted heat. For optimum results, the protective cup should be the right size for the component to be desoldered. It can also be used with a tripod to remove components cleanly and efficiently. Discover this practical helper at [Weidinger.eu](https://www.weidinger.eu).

- rectangular - without tripod
- for hot-air repair stations
- protects the adjacent components
- concentrates the heat on the desired area
- The protective cup should have the appropriate size of the component to be desoldered.
- can be used with a tripod to cleanly remove the component

Item no.

WL23246

Products for the electronic industry



Model	0001068 / P1068
Manufacturer	JBC
Manufacturer article no.	P1068
GPSR manufacturer data	JBC Soldering SL Ramón y Cajal 3 ES-08750 Molins De Rei www.jbctools.com
Length with packaging	50 mm
Width with packaging	40 mm
Height with packaging	20 mm
Sales unit	1 piece
Content unit	1 piece
Length (protective cup)	18.5 mm
Width (protective cup)	24 mm
Shape	rectangular
Incl. battery	no
Dimensions	18,5 x 24 mm
ESD compliant	no

Other versions

Item no.	Length (protective cup) x Width (protective cup)
WL23238	4.3 mm x 3 mm
WL23239	5.2 mm x 7.5 mm
WL23240	5.2 mm x 9.5 mm
WL23241	6.2 mm x 4.2 mm
WL13143	9 mm x 13 mm
WL13144	9.5 mm x 19 mm
WL13146	9.5 mm x 21 mm
WL13145	10.5 mm x 21 mm
WL13147	11 mm x 16 mm
WL13134	12 mm x 17 mm
WL23242	12 mm x 23 mm
WL23243	13 mm x 31.5 mm
WL13141	13.5 mm x 21.5 mm

WL23245	18 mm x 29 mm
WL23246	18.5 mm x 24 mm
WL23249	33 mm x 46 mm
WL23251	52.5 mm x 14 mm