

Desoldering tip DxP series, D: 1.55 / 2.85 mm



DxP-Desolder Tips are the standard desoldering tip range for the Metcal desolder series MFR-1150, MFR-1350, MFR-1351 and MFR-UK5. The second letter in the part number designates the temperature series. The temperature series DFP are nominally 390 °C. Metcal recommends the DFP-series for most applications. The Temperature series DCP are nominally 450 °C and are recommended for high temperature and thermally demanding applications. Can be used with leaded and lead-free solder. The Metcal "SmartHeat®-Technology" automatically adjusts power levels during each soldering operation.

- for most standard applications
- suitable for desoldering systems MFR-1150, MFR-1350, MFR-1351

item number	WL24759
model	DFP-CN6
manufacturer	OKI

manufacturer item number	DFP-CN6
GPSR manufacturer information	OK International Ltd Eagle Close, Chandlers Ford GB-SO53 4NF Hampshire www.ok-international.com
order unit	1 piece
content unit	1 piece
product series	DxP Series
temperature max.	421 °C
Tip series	DxP
inside diameter	1.55 mm
outer diameter	2.85 mm
tip length	5.54 mm
tip shape	conical
tip alignment	straight
tip temperature	421 °C
ESD safe	no

Other versions

item number	inside diameter
WL24755	0.64 mm
WL24756	0.79 mm
WL24757	1.05 mm
WL24758	1.31 mm
WL24759	1.55 mm
WL24760	2.44 mm