

ESD precision electronics side cutter, round, 125 mm



ESD precision pliers for the finest cutting work, e.g. in electronics and precision mechanics. Very precisely ground, sharp cutting edges with very small facets for exact cuts on sensitive electronic components; also without facet for flush cutting. Precision cutting edges additionally induction hardened, cutting edge hardness approx. 64 HRC. Approx. 20 % less weight than conventional electronic pliers. Bolted joint with particularly carefully manufactured joint surfaces for uniform, low-friction movement in the entire opening range. Smooth-running double spring for smooth and even opening. Ergonomically optimised multi-component handles. round head. - Shape: 2 - Cutting values medium hard wire (diameter): Ø 1.0mm - Cutting values soft wire (diameter): Ø 0.1 - 1.7mm - Jaw length (B): 10mm - Jaw thickness (at joint) (D): 6.5mm - Head width (A): 11mm - ESD: Yes

- Precision pliers for finest cutting work, e.g. in electronics and precision mechanics
- Very precisely ground, sharp cutting edges with very small facets for exact cuts on sensitive electronic components
- Also without facet for flush cutting
- Precision cutting edges additionally induction hardened, cutting edge hardness approx. 64 HRC
- Approx. 20 % less weight than conventional electronic pliers
- Bolted joint with particularly carefully manufactured joint surfaces for uniform, low-friction movement in the entire opening range
- Smooth-running double spring for smooth and even opening
- Ergonomically optimised multi-component sleeves

Item no.	WL24972
Model	79 22 125 ESD

Products for the electronic industry



Manufacturer	KNIPEX
Manufacturer article no.	79 22 125 ESD
GPSR manufacturer data	KNIPEX-Werk Oberkamper Strasse 13 DE-42349 Wuppertal-Cronenberg www.knipex.de
Length	115 mm
Width	61 mm
Height	18 mm
Length with packaging	189 mm
Width with packaging	72 mm
Height with packaging	48 mm
Volume with packaging	0.637 dm ³
Sales unit	1 piece
Content unit	1 piece
Type of packaging	single pack
Incl. battery	no
Standards	DIN EN 61 340-5, DIN ISO 9654
RoHS compliant	no
Surface	burnished
VDE	no
Cut shape	without bevel
ESD compliant	yes
Tool length	125 mm
Type of side cutters	side cutter
Grip (expression)	with multi-component sleeves
Cutting value wire diameter (medium)	1 mm
Cutting value wire diameter (soft)	1.7 mm
Type of pliers	cutting pliers