

Soldering tip SxP series, chisel-shaped 30° 1 x 9.2 mm



SxP-Solder Tip Cartridges are the standard soldering tip range for the Metcal MFR-1110, MFR-2210 and MFR-1351-series soldering systems. The second letter in the part number designates the temperature series. The Temperature series SFP are nominally 390 °C. Metcal recommends the SFP-series for the majority of applications. However, the family also offer a higher temperature serie designated SCP, nominally 450 °C, for high temperature and thermally demanding applications. STP-series are nominally 330 °C for light load application. Can be used with leaded and lead-free solder. The Metcal "SmartHeat®-Technology" automatically adjusts power levels during each soldering operation.

- suitable for ceramics and applications with high thermal requirements

item number	WL27518
model	SCP-CH10

Products for the electronic industry



manufacturer	OKI
manufacturer item number	SCP-CH10
GPSR manufacturer information	OK International Ltd Eagle Close, Chandlers Ford GB-SO53 4NF Hampshire www.ok-international.com
order unit	1 piece
content unit	1 piece
product series	SxP Series
temperature max.	471 °C
Tip series	SxP
Soldering tip angle	30 °
tip length	9.2 mm
tip width	1 mm
tip shape	chisel-shaped
tip alignment	bent
tip temperature	460 °C
suitable handle	MFR-H1-SC
ESD safe	no

Other versions

item number	temperature max.
WL25883	366 °C
WL24721	421 °C
WL27518	471 °C