


Soldering tip SxP series, conical 0.5 x 4.95 mm



SxP-Solder Tip Cartridges are the standard soldering tip range for the Metcal MFR-1110, MFR-2210 and MFR-1351-series soldering systems. The second letter in the part number designates the temperature series. The SFP temperature series are nominally 390 °C. Metcal recommends the SFP-series for most applications. However, Metcal offers a higher temperature series designated SCP, nominally 450 °C, for high temperature and thermally demanding applications. STP-series are nominally 330 °C for light load application. Can be used with leaded and lead-free solder. The Metcal "SmartHeat®-Technology" adjusts power levels automatically based on the demand of the application.

• for temperature sensitive applications

item number	WL27532
model	STP-CN05
manufacturer	OKI
manufacturer item number	STP-CN05
GPSR manufacturer information	OK International Ltd Eagle Close, Chandlers Ford GB-SO53 4NF Hampshire www.ok-international.com

Products for the electronic industry













order unit	1 piece
content unit	1 piece
product series	SxP Series
temperature max.	366 °C
Tip series	SxP
tip length	4.95 mm
tip width	0.5 mm
soldering tip diameter	0.5 mm
tip shape	conical
tip alignment	straight
tip temperature	365 °C
suitable handle	MFR-H1-SC
ESD safe	no

Other versions

item number	temperature max.
WL27532	366 °C
WL24729	421 °C
WL27533	471 °C









