

MultiCrimp, crimping pliers with changeable magazine, incl. 5 crimping dies, 250 mm



KNIPEX MultiCrimp® Only one tool for the most common crimping applications. Quick and easy changing of crimp dies without additional tools. Safe and protected storage of the exchangeable dies in a round magazine. Comfortable, powerful crimping pliers in professional quality. Reliable crimping results as with permanently mounted crimp dies. Consistently high crimp quality due to precision inserts and positive ratchet (can be unlocked). - Application: uninsulated, open-ended connectors (4.8 + 6.3 mm connector width) - Capacity square millimetres: 0.5 - 6.0mm² - Number of nests: 3 - AWG: 20 - 10

- Only one tool for the most common crimping applications
- Quick and easy changing of crimp dies without additional tools
- Safe and protected storage of the interchangeable dies in a round magazine
- Comfortable, powerful crimping pliers in professional quality
- Reliable crimping results as with permanently mounted crimp dies
- Consistently high crimp quality due to precision inserts and positive lock (can be unlocked)

item number	WL27692
-------------	---------

model	97 33 02
-------	----------

Products for the electronic industry



manufacturer	KNIPEX
manufacturer item number	97 33 02
length	240 mm
width	75 mm
height	28 mm
length with packaging	330 mm
width with packaging	330 mm
height with packaging	33 mm
Packaging volume	3.594 dm ³
scope of supply	97 39 05 Crimp insert for uninsulated, open plug connectors (4.8 + 6.3 mm plug width) 97 39 06 Crimp insert for insulated cable lugs, plug connectors + butt connectors 97 39 08 Crimp insert for insulated + uninsulated wire end ferrules 97 39 09 Crimp insert for insulated + uninsulated wire end ferrules 97 39 13 Crimp insert for non-insulated crimp terminals, tube terminals and compression terminals acc. to DIN 46234 and DIN 46235 as well as non-insulated crimp, butt and compression connectors acc. to DIN 46341 and DIN 46267 97 39 13 A Crimp insert for non-insulated crimping, tube and compression cable lugs acc. to DIN 46234 and DIN 46235 as well as non-insulated crimping, butt and compression connectors acc. to DIN 46341 and DIN 46267 97 39 90 Change magazine empty
order unit	1 piece
content unit	1 piece
type of packaging	single pack
product series	MultiCrimp
RoHS conform	no
surface	burnished
VDE	no
application crimp	uninsulated, open connectors (4.8 + 6.3 mm connector width)
Number of crimp nests	3
crimp profile	F-crimp; oval crimp; trapezoid crimp; trapezoid indent crimp; W-crimp
tool length	250 mm

AWG	20 - 10
type of handle	with multi-component sleeves
type of pliers	automatic crimping tool

