

Crimping pliers, also for two-hand operation, black oxide finish, uninsulated cable lugs + cable connector, 250 mm



For solderless electrical connections. Up to 30 % reduced hand force compared to standard crimping pliers due to lever transmission. Consistently high crimp quality due to precision inserts and positive lock (can be unlocked). Crimp pressure is precisely set (calibrated) at the factory, adjustable. Two-hand operation for easy crimping of large conductor cross-sections. Good handling due to balanced centre of gravity, angled head and ergonomically shaped handles. - Application: uninsulated cable lugs + cable connectors - Capacity square millimetres: 16 / 25mm² - Number of nests: 2 - AWG: 5 / 3

- For solderless electrical connections
- Up to 30 % reduced hand force compared to standard crimping pliers due to lever ratio
- Consistently high crimp quality due to precision inserts and positive lock (can be unlocked)
- Crimping pressure is precisely set (calibrated) at the factory, adjustable
- Two-hand operation for easy crimping of large conductor cross sections
- Good handling due to balanced centre of gravity, angled head and ergonomically shaped handles

Item no.	WL27700
Model	97 52 23
Manufacturer	KNIPEX
Manufacturer article no.	97 52 23
GPSR manufacturer data	KNIPEX-Werk Oberkamper Strasse 13 DE-42349 Wuppertal-Cronenberg

www.knipex.de

Length	255 mm
Width	79 mm
Height	24 mm
Length with packaging	260 mm
Width with packaging	100 mm
Height with packaging	30 mm
Volume with packaging	0.78 dm ³
Sales unit	1 piece
Content unit	1 piece
Type of packaging	single pack
RoHS compliant	no
Surface	burnished
VDE	no
Crimping application	uninsulated cable lugs + cable connectors
Number of crimp nests	2
ESD compliant	no
AWG	5 - 3
Crimp profile	Mandrel crimp
Tool length	250 mm
Grip (expression)	with non-slip plastic sleeves
Type of pliers	automatic crimping tool