


Soldering tip SxV series, knife-shaped 45°, 4.5 x 18.7 mm



SxV-Solder Tips are the standard soldering tip range for the Metcal PS-900/MFR1100, MFR-2210, MFR-1351-series soldering systems. The second letter in the part number designates the temperature series. The temperature series SFV are nominally 390 °C. Metcal recommends the SFV-series for the majority of applications. However, the family also offer a higher temperature series designated SCV, nominally 450 °C, for high temperature and thermally demanding applications. STV-series are nominally 330 °C for light load application. Can be used with leaded and lead-free solder. The Metcal "SmartHeat®-Technology" automatically adjusts power levels during each soldering operation.

- suitable for ceramics and applications with high thermal requirements
- suitable for the handpieces of PS and MFR systems

Article no.	WL27862
Model	SCV-DRK45AR
Manufacturer	OKI
Manufacturer article no.	SCV-DRK45AR
GPSR manufacturer data	OK International Ltd Eagle Close, Chandlers Ford GB-SO53 4NF Hampshire www.ok-international.com

Sales unit	1 piece
Content unit	1 piece
Product series	SxV Series
Temperature (max.)	471 °C
Tip series	SxV
Angle (soldering tip)	45 °
Tip dimensions	4,5 x 1,8 mm
Tip length	18.7 mm
Tip width	4.5 mm
Tip shape	knife-shaped
Tip alignment	bent
Tip temperature	460 °C
ESD compliant	no

Other versions

Article no.	Temperature (max.)
WL27862	471 °C