

Angle wrench, imperial, BlackLaser, 0.05" x 83 mm



High-quality offset wrench for imperial hexagon socket screws. The ball on the long shank allows safe working even in difficult installation positions. The BlackLaser surface treatment ensures excellent surface protection, including against corrosion, and a long service life. Lasered and therefore abrasion-resistant size marking on the offset wrench for quick access.

- Allen wrench for hexagon socket screws
- Hex-Plus gives hexagon socket screws a longer service life
- With hexagonal ball head on long leg
- BlackLaser for high corrosion protection and long service life
- imperial
- Blade length long/short: 83/14 mm

Item no.	WL28567
Model	950 PKL
Manufacturer	WERA
Manufacturer article no.	05022079001
GPSR manufacturer data	WERA Werkzeuge GmbH Korzter Strasse 21-25 DE-42349 Wuppertal-Cronenberg www.wera.de
Length	83 mm
Width	14 mm
Height	1 mm
Length with packaging	189 mm
Width with packaging	64 mm
Height with packaging	38 mm
Scope of delivery	0.05"x83

Products for the electronic industry



Sales unit	1 piece
Content unit	1 piece
Incl. battery	no
VDE	no
Screw type	hexagonal
ESD compliant	no
Packaging dimensions	piece
Screwdriver type	allen wrench
Hexagon socket	0,05"
Blade length	83 mm
Blade length in inches	3.25 in
Wrench size	0.05 mm

Other versions

Item no.	Hexagon socket
WL28567	0,05"
WL88910	1.5 mm
WL88934	1/2"
WL88929	1/4"
WL88924	1/8"
WL88930	1/16"
WL88911	2 mm
WL88912	2.5 mm
WL88913	3 mm
WL88933	3/8"
WL88927	3/16"
WL88922	3/32"
WL88914	4 mm
WL88915	5 mm
WL88931	5/16"
WL88926	5/32"
WL88921	5/64"
WL88916	6 mm

WL88917	7 mm
WL88928	7/32"
WL88923	7/64"
WL88918	8 mm
WL88925	9/64"
WL88919	10 mm
WL88920	12 mm

