

## ESD clog TOKIO ESD natural leather 61408, black, narrow, 41

---



---

The Tokio ESD offers an ideal combination of classic look and reliable protection against electrostatic discharge. The ESD version thus protects people and materials in highly sensitive areas such as the semiconductor industry. All BIRKENSTOCK ESD models are tested according to the specifications of DIN EN 61340 and meet the requirements in the ESD range from  $1.0 \times 10^5$  to  $3.5 \times 10^7$  Ohm.

Inner sole: Leather cover sole

The skin-friendly, flexible leather cover sole nestles gently against the foot and adapts to its contours. The open-pored and therefore particularly breathable surface ensures a pleasant foot climate even during vigorous physical activity.

- Anatomically shaped cork-latex footbed in ESD design
- Upper material: smooth leather
- Cover sole: suede leather
- Sole: cushioning EVA outsole in ESD design
- Details: individually adjustable metal buckles
- ESD protection tested according to EN 61340

---

Products for the electronic industry



<b>Item no.</b>	<b>WL28791</b>
Model	61408
Manufacturer	BIRKENSTOCK
Manufacturer article no.	61408-41
GPSR manufacturer data	BIRKENSTOCK Global Sales GmbH Burg Ockenfels DE-53545 Linz a. Rhein www.birkenstock.com
Length with packaging	350 mm
Width with packaging	250 mm
Height with packaging	150 mm
Sales unit	1 pair
Content unit	1 pair
Manufacturer colour information	black
Colour	black
Gender	unisex
Protective cap	no
Type of shoes	Clogs
Shoe width	narrow
Features (shoes)	<ul style="list-style-type: none"> <li>• Anatomically shaped cork-latex footbed in ESD design</li> <li>• Upper material: smooth leather</li> <li>• Details: individually adjustable metal pin buckle</li> <li>• Cover sole: suede leather</li> <li>• Sole: cushioning EVA outsole in ESD design</li> <li>• heel strap</li> </ul>
Material (shoes)	leather
Fit	narrow
Shoe size EU	41
ESD compliant	yes

## Other versions

Item no.	Shoe size EU
WL33227	36
WL40095	37
WL40096	38

WL28789	39
WL28790	40
<b>WL28791</b>	<b>41</b>
WL28792	42

