

## PreciForce® crimping pliers, black oxide finish, for insulated + uninsulated wire end ferrules, 220 mm



### Description

KNIPEX PreciForce® Consistently high crimp quality due to precision inserts and positive lock (unlockable). Crimping pressure is precisely set (calibrated) at the factory, adjustable. Force amplification through knee lever for low-fatigue work. Good handling due to favourable handle position, low weight, short design and ergonomically shaped handles. - Application: insulated + uninsulated wire-end ferrules - Capacity square millimetres: 0.25 - 6.0mm<sup>2</sup> - Number of nests: 5 - AWG: 23 - 10

- Consistently high crimp quality due to precision inserts and positive lock (can be unlocked)
- Crimp pressure is precisely set (calibrated) at the factory, adjustable
- Force amplification through knee lever for fatigue-free work
- Good handling due to favourable handle position, low weight, short design and ergonomically shaped handles

### Product details

item number	WL33540
model	97 52 38
manufacturer	KNIPEX
manufacturer item number	97 52 38
dimensions (LxWxH)	230 mm x 58 mm x 21 mm
dimensions with packaging (LxWxH)	225 mm x 75 mm x 30 mm
Packaging volume	0.506 dm <sup>3</sup>

order unit	piece
type of packaging	single pack
product series	PreciForce®
RoHS conform	no
surface	burnished
crimp profile	Trapezoidal crimp
Number of crimp nests	5
application crimp	insulated + uninsulated ferrules
VDE	no
tool length	220 mm
AWG	23 - 10
type of handle	with multi-component sleeves
type of pliers	automatic crimping tool