

## Ecotronic ESD wire stripper 0.2 - 0.8 mm Ø, 168 mm



- For safe and gentle stripping of fine, insulated cables with a solid core in applications where damage caused by electrostatic charge must be avoided at all costs
- Six pre-set pairs of blades for stripping fine, insulated solid core wires, 0.2, 0.3, 0.4, 0.5, 0.6 and 0.8 mm (20-30 AWG)
- Suitable for stripping all common types of cable insulation
- cutting edges made of special tool steel, hardened for long performance
- Integrated wire cutter for cutting soft copper wires up to 3mm Ø / 8 AWG
- Pliers jaws with serrated tips for gripping cables and bending loops
- Electrostatic dissipative handles - dissipative resistor 10<sup>8</sup>
- Two-component handles in convex design for comfortable working
- Locking mechanism for locking the cutting edge pair in closed position
- Black burnished surface for corrosion protection and reduced glare
- Smooth-running return spring for improved comfort during repetitive work
- Joint with sturdy stainless steel rivet
- Technical information:
  - total length: 168 mm
  - steel thickness: 3 mm
  - Capacities: mm: 0.2 / 0.3 / 0.4 / 0.5 / 0.6 / 0.8, AWG: 30 / 28 / 26 / 24 / 22 / 20

item number	WL33753
model	T3893
manufacturer	C.K
manufacturer item number	T3893
GPSR manufacturer information	Carl Kammerling International

Bendahler Straße 110  
DE-42285 Wuppertal  
www.ck-tools.com

width	168 mm
height	70 mm
length with packaging	2.5 mm
width with packaging	220 mm
height with packaging	80 mm
order unit	1 piece
content unit	1 piece
total length	168 mm
stripping range length	0.2 – 0.8 mm
VDE	no
ESD safe	yes
tool length	168 mm
type of pliers	manual wire stripper

