

## ESD shelf trolley, 4 shelves, 1800 mm height, 600 kg, 1000 x 600 mm

---



Thanks to the proven multifunctional modular system with the Fetra plug-in and screw principle, the electrically conductive (ESD) shelf trolley from Fetra can be modified, replaced and supplemented in many ways.

- Electrically conductive design
- Welded steel tube and profile steel
- electrically conductive powder-coated
- slate grey RAL 7015
- Screw and plug-in construction
- 1 fixed and 3 loose shelves made of electrically conductive wood-based panel according to DIN 68765 in light grey
- 2 swivel castors and 2 fixed castors
- Wheels with TPE-ESD tyres (thermoplastic elastomer)
- electrically conductive

- Hubs with precision deep groove ball bearings
- Very low starting, rolling and swivel resistance
- Quiet running on level floors
- Tyres not chalking (non-marking)
- Castor brakes, according to the European standard EN 1757-3

<b>Item no.</b>	<b>WL34228</b>
Manufacturer	FETRA
Manufacturer article no.	9301
GPSR manufacturer data	fetra Fechtel Transportgeräte GmbH Industriestraße 17-21 DE-33829 Bogenhausen www.fetra.de
Length	1169 mm
Width	609 mm
Height	1800 mm
Sales unit	1 piece
Content unit	1 piece
Manufacturer colour information	slate grey
Colour	grey
Material	wood-based panel
Material (frame)	sectional steel
Incl. battery	no
Tare weight	69 kg
Type of transport device	shelf trolley
Load capacity	600 kg
Number of fixed castors	2
Number of swivel castors	2
Tires	TPE ESD
Tire diameter	200 mm
Bearing (tires)	ball bearing
Length of the loading area	1000 mm
Width of the loading area	600 mm
Number of shelves	4
Shelf height 1	276 mm
Shelf height 2	676 mm

Shelf height 3	1076 mm
Shelf height 4	1476 mm
ESD compliant	yes

