ESD table mat Premium, beige, 1000 x 2 mm, 10 m, on rolls

The SafeGuard ESD table mat in gray, 600 x 400 x 2 mm, with 2x 10mm press stud, is the ideal solution for electronics production. Heat and solder resistant as well as chemical and oil resistant, this mat is also perfect as a soldering pad. Its permanently elastic nature prevents it from rolling up, while its abrasion resistance ensures a long service life. With an anti-reflective surface for comfortable working and a two-layer ESD structure (dissipative/conductive), it meets the highest requirements. The surface resistance is between 10^6 and 10^7 Ohm according to EN 61340-2-3. Thanks to its temperature resistance up to 750°C according to Glow wire test - IEC 60335-1:2010 and Needle Flame test according to IEC 60695-11 for up to 30 seconds, the SafeGuard ESD table mat is a convincing choice for use in electronics production.

In addition, we now offer you the option of customizing your workwear. Whether with your company logo or another motif, we will implement your wishes and make your jacket unique. You can find more information at https://www.weidinger.eu/de/individuelle-bedruckung

Products for the electronic industry

- Heat and solder resistant
- Temperature resistant according to Glow wire test - IEC 60335-1:2010 - up to 750°C and Needle Flame test acc. to IEC 60695-11, up to 30sec.
- Resistant to chemicals and oil
- Permanently elastic, abrasion-resistant and comfortable
- RoHS compliant
- Anti-reflective surface makes working easier
- Two-layer ESD table mat (dissipative/conductive)
- Surface resistance is 10^6 - 10^7 Ohm (EN 61340-2-3)

item number	WL34489
model	PRO-STATmat H.1000
manufacturer	SAFEGUARD
manufacturer item number	SG-TBRO-GN-GL-ODK-10000X1000X2
GPSR manufacturer information	Weidinger GmbH Hertha-Sponer-Str. 1a DE-82216 Gernlinden
length	10000 mm
width	1000 mm
height	2 mm
order unit	1 rolls
content unit	1 rolls
colour	beige
colour manufacturer	beige
Colour	beige
material	Natural rubber & synthetic rubber
Typical surface resistance (Rpp)	10^6 - 10^8 Ohm
type of lining	table cover
with earth cable	no
with earthing point	no
surface	Two-layer ESD table covering
ESD safe	yes

Other versions

item number	width

WL34489			1000 mm
WL34485			1200 mm

Products for the electronic industry