

Micro-Bit Set ESD 7000-SK65ESD 65tlg



- A comprehensive bit set for all micro screw connections in precision mechanics, model making and electronics
- Bit ratchet for powerful screwing. Thanks to the switching angle of only 5°, it is also suitable for use in the most confined spaces.
- Dissipative conductive ESD handle to prevent damage when working on electrostatically sensitive components, e.g. in smartphones
- A tidy order system reduces long search and orientation times

Alternative item description	7000SK65ESD
item number	WL35926
model	7000SK65ESD
manufacturer	WIHA
manufacturer item number	39971

Products for the electronic industry



scope of supply

1x Micro bit 28 mm (40600) , slot: 0.8 , length bit: 28
 1x Micro bit 28 mm (40601) , slot: 1,2 , length bit: 28
 1x Micro bit 28 mm (40602) , slot: 1.5 , length bit: 28
 1x Micro bit 28 mm (40603) , slot: 1.8 , length bit: 28
 1x Micro bit 28 mm (40604) , slot: 2,0 , length bit: 28
 1x Micro bit 28 mm (40605) , slot: 2.5 , length bit: 28
 1x Micro bit 28 mm (40606) , slot: 3,0 , length bit: 28
 1x Micro bit 28 mm (40607) , slot: 3.5 , length bit: 28
 1x Micro bit 28 mm (40608) , slot: 4,0 , length bit: 28
 1x Micro bit 28 mm (40614) , hexagon socket: 0.7 ,
 length bit: 28
 1x Micro bit 28 mm (40615) , hexagon socket: 0.9 ,
 length bit: 28
 2x micro bit 28 mm (40616) , hexagon socket: 1.3 /
 0.050 , length bit: 28
 1x Micro bit 28 mm (40617) , hexagon socket: 1.5 ,
 length bit: 28
 1x Micro bit 28 mm (40618) , hexagon socket: 2.0 ,
 length bit: 28
 1x Micro bit 28 mm (40619) , hexagon socket: 2.5 ,
 length bit: 28
 1x Micro bit 28 mm (40620) , hexagon socket: 3.0 ,
 length bit: 28
 1x Micro bit 28 mm (40621) , hexagon socket: 4.0 /
 5/32 , length bit: 28
 1x Micro bit 28 mm (40624) , hexagon socket: 3/32 ,
 length bit: 28
 1x Micro bit 28 mm (40622) , hexagon socket: 1/16 ,
 length bit: 28
 1x Micro bit 28 mm (40623) , hexagon socket: 5/64 ,
 length bit: 28
 1x Micro bit 28 mm (40625) , hexagon socket: 7/64 ,
 length bit: 28
 1x Micro bit 28 mm (40626) , hexagon socket: 1/8 ,
 length bit: 28
 1x Micro bit 28 mm (40627) , hexagon socket: 9/64 ,
 length bit: 28
 1x Micro-Bit 28 mm (40630) , TORX: T3 , Length Bit:
 28
 1x Micro bit 28 mm (40631) , TORX: T4 , Length Bit:
 28
 1x Micro-Bit 28 mm (40632) , TORX: T5 , Length Bit:
 28
 1x Micro-Bit 28 mm (40633) , TORX: T6 , Length Bit:
 28
 1x Micro-Bit 28 mm (40634) , TORX: T7 , Length Bit:
 28
 1x Micro-Bit 28 mm (40635) , TORX: T8 , Length Bit:
 28
 1x Micro-Bit 28 mm (40636) , TORX: T9 , Length Bit:
 28
 1x Micro-Bit 28 mm (40637) , TORX: T10 , Length Bit:

28

1x Micro bit 28 mm (40638) , TORX: T15 , Length Bit:

28

1x Micro-Bit 28 mm (40639) , TORX: T20 , Length Bit:

28

1x Micro-Bit 28 mm (40640) , Pentalobe: PL1 , Length Bit: 28

1x Micro-Bit 28 mm (40641) , Pentalobe: PL2 , Length Bit: 28

1x Micro-Bit 28 mm (40642) , Pentalobe: PL3 , Length Bit: 28

1x Micro-Bit 28 mm (40643) , Pentalobe: PL4 , Length Bit: 28

1x Micro-Bit 28 mm (40644) , Pentalobe: PL5 , Length Bit: 28

1x Micro-Bit 28 mm (40645) , Pentalobe: PL6 , Length Bit: 28

1x Micro-Bit 28 mm (40609) , Phillips: PH000 , Length Bit: 28

1x Micro-Bit 28 mm (40610) , Phillips: PH00 , Length Bit: 28

1x Micro-Bit 28 mm (40611) , Phillips: PH0 , Length Bit: 28

1x Micro-Bit 28 mm (40612) , Phillips: PH1 , Length Bit: 28

1x Micro socket wrench 30 mm (40646) , hexagon socket: 5/64 , length bit: 30

1x Micro socket wrench 30 mm (40647) , hexagon socket: 3/32 , length bit: 30

1x Micro socket wrench 30 mm (40648) , hexagon socket: 7/64 , length bit: 30

1x Micro socket wrench 30 mm (40649) , hexagon socket: 1/8 , length bit: 30

1x Micro socket wrench 30 mm (40650) , hexagon socket: 9/64 , length bit: 30

1x Micro socket wrench 30 mm (40651) , hexagon socket: 5/32 , length bit: 30

1x Micro socket wrench 30 mm (40652) , hexagon socket: 3/16 , length bit: 30

1x Micro socket wrench 30 mm (40653) , hexagon socket: 7/32 , length bit: 30

1x Micro socket wrench 30 mm (40654) , hexagon socket: 2.0 , length bit: 30

1x Micro socket wrench 30 mm (40655) , hexagon socket: 2.5 , length bit: 30

1x Micro socket wrench 30 mm (40656) , hexagon socket: 3.0 , length bit: 30

1x Micro socket wrench 30 mm (40657) , hexagon socket: 3.5 , length bit: 30

1x Micro socket wrench 30 mm (40658) , hexagon socket: 4.0 , length bit: 30

1x Micro socket wrench 30 mm (40659) , hexagon

	socket: 4.5 , length bit: 30 1x Micro socket wrench 30 mm (40660) , hexagon socket: 5.0 , length bit: 30 1x Micro socket wrench 30 mm (40661) , hexagon socket: 5.5 , length bit: 30 1x Adapter 1/4" (39964) , Hexagon socket: 1/4 , Hexagon socket: 4 1x bit ratchet 90 mm with thumbwheel (36931) , hexagon socket: 1/4 , length combination blade: 90 1x Screwdriver Handle ESD (40662) , Hexagon socket: 4,0 , Handle length: 110 1x Extension 100 mm (40663) , Hexagon socket: 4 , Hexagon socket: 4
order unit	1 piece
content unit	1 piece
product series	7000Z
VDE	no
ESD safe	yes
packaging mass	set