ESD micro bit set 7000 (SK65ESD), 65-piece



With the ESD Micro-Bit Set 7000 (SK65ESD), 65-piece, Wiha supplies a tool that is specifically tailored to the requirements of electronics and precision assembly. A comprehensive bit set for all micro screw connections in the field of precision mechanics, model making and electronics ensures precise work, even in confined spaces. This makes the bit ideal for use in series assembly and repair processes for sensitive assemblies.
• A comprehensive bit set for all micro screw connections in precision mechanics, model making and electronics
• Bit ratchet for powerful screwing. Thanks to the switching angle of only 5°, it is also suitable for use in the most confined spaces.
• Dissipative conductive ESD handle to prevent damage when working on electrostatically sensitive components, e.g. in smartphones
• A tidy order system reduces long search and orientation times

Item no.	**WL35926**

Model	7000SK65ESD
Alternative article name	7000SK65ESD
Manufacturer	WIHA
Manufacturer article no.	39971
GPSR manufacturer data	Wiha Werkzeuge GmbH Obertalstraße 3-7 DE-78136 Schonach www.wiha.com
Scope of delivery	1x Micro bit 28 mm (40600) , slot: 0.8 , length bit: 28 1x Micro bit 28 mm (40601) , slot: 1,2 , length bit: 28 1x Micro bit 28 mm (40602) , slot: 1.5 , length bit: 28 1x Micro bit 28 mm (40603) , slot: 1.8 , length bit: 28 1x Micro bit 28 mm (40604) , slot: 2,0 , length bit: 28 1x Micro bit 28 mm (40605) , slot: 2.5 , length bit: 28 1x Micro bit 28 mm (40606) , slot: 3,0 , length bit: 28 1x Micro bit 28 mm (40607) , slot: 3.5 , length bit: 28 1x Micro bit 28 mm (40608) , slot: 4,0 , length bit: 28 1x Micro bit 28 mm (40614) , hexagon socket: 0.7 , length bit: 28 1x Micro bit 28 mm (40615) , hexagon socket: 0.9 , length bit: 28 2x micro bit 28 mm (40616) , hexagon socket: 1.3 / 0.050 , length bit: 28 1x Micro bit 28 mm (40617) , hexagon socket: 1.5 , length bit: 28 1x Micro bit 28 mm (40618) , hexagon socket: 2.0 , length bit: 28 1x Micro bit 28 mm (40619) , hexagon socket: 2.5 , length bit: 28 1x Micro bit 28 mm (40620) , hexagon socket: 3.0 , length bit: 28 1x Micro bit 28 mm (40621) , hexagon socket: 4.0 / 5/32 , length bit: 28 1x Micro bit 28 mm (40624) , hexagon socket: 3/32 , length bit: 28 1x Micro bit 28 mm (40622) , hexagon socket: 1/16 , length bit: 28 1x Micro bit 28 mm (40623) , hexagon socket: 5/64 , length bit: 28 1x Micro bit 28 mm (40625) , hexagon socket: 7/64 , length bit: 28 1x Micro bit 28 mm (40626) , hexagon socket: 1/8 , length bit: 28 1x Micro bit 28 mm (40627) , hexagon socket: 9/64 , length bit: 28 1x Micro-Bit 28 mm (40630) , TORX: T3 , Length Bit: 28 1x Micro bit 28 mm (40631) , TORX: T4 , Length Bit: 28

1x Micro-Bit 28 mm (40632) , TORX: T5 , Length Bit: 28
1x Micro-Bit 28 mm (40633) , TORX: T6 , Length Bit: 28
1x Micro-Bit 28 mm (40634) , TORX: T7 , Length Bit: 28
1x Micro-Bit 28 mm (40635) , TORX: T8 , Length Bit: 28
1x Micro-Bit 28 mm (40636) , TORX: T9 , Length Bit: 28
1x Micro-Bit 28 mm (40637) , TORX: T10 , Length Bit: 28
1x Micro bit 28 mm (40638) , TORX: T15 , Length Bit: 28
1x Micro-Bit 28 mm (40639) , TORX: T20 , Length Bit: 28
1x Micro-Bit 28 mm (40640) , Pentalobe: PL1 , Length Bit: 28
1x Micro-Bit 28 mm (40641) , Pentalobe: PL2 , Length Bit: 28
1x Micro-Bit 28 mm (40642) , Pentalobe: PL3 , Length Bit: 28
1x Micro-Bit 28 mm (40643) , Pentalobe: PL4 , Length Bit: 28
1x Micro-Bit 28 mm (40644) , Pentalobe: PL5 , Length Bit: 28
1x Micro-Bit 28 mm (40645) , Pentalobe: PL6 , Length Bit: 28
1x Micro-Bit 28 mm (40609) , Phillips: PH000 , Length Bit: 28
1x Micro-Bit 28 mm (40610) , Phillips: PH00 , Length Bit: 28
1x Micro-Bit 28 mm (40611) , Phillips: PH0 , Length Bit: 28
1x Micro-Bit 28 mm (40612) , Phillips: PH1 , Length Bit: 28
1x Micro socket wrench 30 mm (40646) , hexagon socket: 5/64 , length bit: 30
1x Micro socket wrench 30 mm (40647) , hexagon socket: 3/32 , length bit: 30
1x Micro socket wrench 30 mm (40648) , hexagon socket: 7/64 , length bit: 30
1x Micro socket wrench 30 mm (40649) , hexagon socket: 1/8 , length bit: 30
1x Micro socket wrench 30 mm (40650) , hexagon socket: 9/64 , length bit: 30
1x Micro socket wrench 30 mm (40651) , hexagon socket: 5/32 , length bit: 30
1x Micro socket wrench 30 mm (40652) , hexagon socket: 3/16 , length bit: 30
1x Micro socket wrench 30 mm (40653) , hexagon socket: 7/32 , length bit: 30

	1x Micro socket wrench 30 mm (40654) , hexagon socket: 2.0 , length bit: 30 1x Micro socket wrench 30 mm (40655) , hexagon socket: 2.5 , length bit: 30 1x Micro socket wrench 30 mm (40656) , hexagon socket: 3.0 , length bit: 30 1x Micro socket wrench 30 mm (40657) , hexagon socket: 3.5 , length bit: 30 1x Micro socket wrench 30 mm (40658) , hexagon socket: 4.0 , length bit: 30 1x Micro socket wrench 30 mm (40659) , hexagon socket: 4.5 , length bit: 30 1x Micro socket wrench 30 mm (40660) , hexagon socket: 5.0 , length bit: 30 1x Micro socket wrench 30 mm (40661) , hexagon socket: 5.5 , length bit: 30 1x Adapter 1/4" (39964) , Hexagon socket: 1/4 , Hexagon socket: 4 1x bit ratchet 90 mm with thumbwheel (36931) , hexagon socket: 1/4 , length combination blade: 90 1x Screwdriver Handle ESD (40662) , Hexagon socket: 4,0 , Handle length: 110 1x Extension 100 mm (40663) , Hexagon socket: 4 , Hexagon socket: 4
Sales unit	1 piece
Content unit	1 piece
Product series	7000Z
VDE	no
ESD compliant	yes
Packaging dimensions	set