Needle nose pliers with cutting edge (cranesbill pliers), black atramentized, 200 mm



Flat round-nose pliers with cutting edge Elastic tips: dimensionally stable even when twisted. Torsion-tolerant, elastic precision tips. Flat-round, long, pointed jaws. With cutting edges for soft, medium-hard and hard wire. Cutting edges additionally induction hardened, cutting edge hardness approx. 61 HRC. straight jaws. - Cutting value medium hard wire (diameter): Ø 3,2mm - Cutting value hard wire (diameter): Ø 2,2mm - Jaw thickness (at joint) (T1): 9,5mm - Tip width (E): 3,0mm - Tip thickness (D1): 2,5mm - Jaw length (L3): 73,0mm - Head width (W3): 18mm - Shape: 1

- Torsion-tolerant, elastic precision tips
- Flat-round, long, tapered jaws
- With cutting edges for soft, medium-hard and hard wire
- Cutting edges additionally induction hardened, cutting edge hardness approx. 61 HRC

Item no.	**WL36927**
Model	26 12 200
Manufacturer	KNIPEX
Manufacturer article no.	26 12 200
GPSR manufacturer data	KNIPEX-Werk Oberkamper Strasse 13 DE-42349 Wuppertal-Cronenberg www.knipex.de
Length	210 mm
Width	53 mm
Height	18 mm
Length with packaging	229 mm
Width with packaging	119 mm

Height with packaging	52 mm
Volume with packaging	1.417 dm^3
Sales unit	1 piece
Content unit	1 piece
Type of packaging	single pack
Standards	DIN ISO 5745
RoHS compliant	no
Surface	black atramentised
VDE	no
ESD compliant	no
Fastening for fall protection	nein
Tool length	200 mm
Grip (expression)	With multi-component handles
Cutting value wire diameter (hard)	2.2 mm
Cutting value wire diameter (medium)	3.2 mm
Type of pliers	snipe nose pliers

Other versions

Item no.	Fastening for fall protection
WL36927	**nein**