

ESD extraction unit MG 140 for soldering fumes, without accessories, for 1-2 workstations, 140 m³/h at 2,300 Pa



- Extraction unit for use at up to 2 workstations
- Variable volume flow setting
- Electronic filter control with alarm function
- Switchable power supply unit 100 - 240 V, for worldwide use in all voltage networks
- 4 castors for flexible use
- 3-stage filter system
- Quick and easy installation
- The MG 140 extraction unit is ideal for applications with a high demand for gas and particle filtration, such as soldering, adhesives and surface extraction. The mobile unit makes it easy to move between different workstations. With an optional remote control, the turbine speed and the alarm function can be set in a user-friendly manner.

Item no.	WL37005
Model	145-1000-ESD
Manufacturer	WELLER
Manufacturer article no.	145-1000-ESDN
GPSR manufacturer data	WELLER Tools GmbH Carl-Benz-Strasse 2 DE-74354 Besigheim www.weller.eu
Length	350 mm
Width	335 mm
Height	655 mm
Scope of delivery	1x extraction unit 1x compact filter H13 1x pre-filter F7 1x mains plug 1x operating instructions
Sales unit	1 piece
Content unit	1 piece
Frequency	50/60 Hz
Power	100 W
Voltage	230 V
Vacuum (max.)	2300 Pa
Sound level	50 dBA
Volume flow rate (max.)	140 m ³ /h
Filter type	compact filter
ESD compliant	yes