

Suction cabinet, CBC-A 4 x Easy Click 60



Anwendungsbeispiel
Example of use

- 80 % lower energy costs compared to a conventional extraction hood. The CBC-A requires only 200 m³/h, conventional hoods 1000 m³/h extraction volume.
- Large front opening allows a large working area which is not obstructed by a glass pane.
- Low noise emission
- Mobile use on a work table or trolley.
- Cabinet Interior: Fluorescent lighting (2 x 39 W), 4 pcs. 230 Volt device connection sockets
- The CBC-A extraction cabinet with air curtain has a unique ventilation concept that separates the user from the application by means of a double air curtain with unrestricted access to the workbench. The cabinet lies directly on the workbench and is connected to a Weller filter system. For CBC-A 112 G04 2 pcs. MG 100S suction units with high gas filter volume or a ZS 6V are required. Required minimum fume cupboard volume: 180 m³/h
Maximum fume cupboard volume: 230 m³/h.
- Available as 120 V version: CBCA112G02G6512115

item number	WL38674
model	CBCA112G04G65I2
manufacturer	WELLER
manufacturer item number	CBCA112G04G65I2N
length	760 mm
width	1275 mm
height	625 mm
order unit	1 piece
content unit	1 piece
frequency	50 Hz
power	65 W
voltage	230 V
noise level	49 dBA

