

ESD work coat Pro Line, 146 g/m², gray, 3XS



With the ESD work coat Pro Line in gray from SafeGuard, you get a top product that sets the highest standards in terms of quality and functionality. The 3/4 garment length ensures optimum protection, while the conductive yarn in a 4x4 mm grid guarantees a typical point-to-point resistance of Rp-p = 10^5 - 10^7 Ohm. These technical details make the ESD gown an indispensable companion for anyone working in electronics production.

The unisex version of the ESD gown guarantees a perfect fit for both men and women. Practical details such as the 2 side pockets, the press studs on the sleeves and the row of buttons with fabric cover are evidence of a well thought-out design. The lapel collar and concealed button placket also give the ESD coat a professional look.

Made from 63% PES, 33% cotton and 4% carbonized yarn, the work coat is not only extremely comfortable to wear, but also meets all ESD safety requirements. With the ESD logo on the breast pocket and ESD certification, this ESD smock is the perfect choice for anyone who values the highest quality and safety.

Get the ESD work coat Pro Line from SafeGuard now and set an example for professional workwear in the electronics industry. Protect yourself and your work with this first-class







Products for the electronic industry







product - convincing and safe in every respect.

- 3/4 length of clothing
- Conductive yarn 4x4 mm pitch
- Typical point-to-point resistance Rp-p = 10^5 - 10^7 Ohm
- Unisex design

item number	WL41042
model	SG-AM-GR-146-L-Pro Line
model line	Pro Line
manufacturer	SAFEGUARD
manufacturer item number	SG-AM-GR-146-L-PRO LINE-3XS
length with packaging	360 mm
width with packaging	300 mm
height with packaging	20 mm
order unit	1 piece
content unit	1 piece
Colour	grey
product series	Safeguard Pro Line
gender	unisex
Typical surface resistance (Rpp)	10 ⁵ Ohm – 10 ⁷ Ohm
basic colour clothing	grey
size	3XS
sleeve's length	long sleeves
features clothing	2 side pockets, snap fasteners on the sleeves, ESD logo on breast pocket, button border covered with fabric, lapel collar, concealed button border
material composition	63% PES, 33% cotton, 4% carbonized yarn
fastener	Push button border
basis weight	146 g/m²
ESD certification acc. to IEC 61340-5-1:2016	yes
ESD safe	yes

Other versions

item number size











2/3









