

## ESD Workcoat Pro Line, white/blue, XL

---



Our SafeGuard ESD coats are lightweight, breathable and therefore comfortable to wear. The Pro Line has a basis weight of 146 g/m<sup>2</sup> and is therefore slightly thicker than our Eco Line ESD gowns. In addition, the two side pockets and the hidden row of buttons are very practical, the ESD logo is embroidered on the breast pocket. The blue applications make the ESD coat a real eye-catcher. The ESD work coat naturally meets the requirements of DIN EN 61340-5-1.

- 3/4 length of clothing
- Conductive yarn 4x4 mm pitch
- Typical point-to-point resistance  $R_{p-p} = 10^5 - 10^7 \text{ Ohm}$
- Unisex design
- blue applications on collar and pockets

item number

WL42416

---

Products for the electronic industry



|  |  |
|--|--|
| model  | SG-AM-WEBL-146-L-Pro Line  |
| model line                                   | Pro Line   |
| manufacturer                                 | SAFEGUARD  |
| manufacturer item number                     | SG-AM-WEBL-146-L-PRO LINE-XL   |
| length with packaging                        | 360 mm   |
| width with packaging                         | 300 mm   |
| height with packaging                        | 20 mm  |
| order unit                                   | 1 piece  |
| content unit                                 | 1 piece  |
| colour manufacturer                          | white/blue   |
| Colour                                       | blue, white  |
| product series                               | Safeguard Pro Line   |
| gender                                       | unisex   |
| Typical surface resistance (Rpp)             | 10 <sup>5</sup> Ohm – 10 <sup>7</sup> Ohm  |
| basic colour clothing                        | white  |
| size   | XL   |
| sleeve's length                              | long sleeves   |
| features clothing                            | 2 side pockets, snap fasteners on the sleeves, ESD logo on breast pocket, button border covered with fabric, lapel collar, concealed button border |
| material composition                         | 63% PES, 33% cotton, 4% carbonized yarn  |
| fastener                                     | Push button border   |
| basis weight                                 | 146 g/m <sup>2</sup>   |
| ESD certification acc. to IEC 61340-5-1:2016 | yes  |
| ESD safe                                     | yes  |

## Other versions

| item number | size |
|-------------|------|
| WL42410     | 3XS  |
| WL42411     | XXS  |
| WL42412     | XS   |
| WL42413     | S    |
| WL42414     | M    |
| WL42415     | L    |

|                |           |
|----------------|-----------|
| <b>WL42416</b> | <b>XL</b> |
| WL42417        | XXL       |
| WL42418        | 3XL       |
| WL42419        | 4XL       |
| WL42420        | 5XL       |