

ESD tool set "ELITE" with 20 tools



Description

- ESD tool sets for various work in the ESD area.
- The tools are housed in handy ESD-safe plastic cases and clearly arranged in dimensionally correct recesses made of conductive rigid foam.

Product details

item number	WL43155
manufacturer	BERNSTEIN
model	2230
dimensions with packaging (LxWxH)	250 mm x 210 mm x 60 mm
scope of supply	20-piece tool set consisting of: 3-651-15 Mini side cutter EUROline, 120 mm, miniwate (flush), for soft wire up to 1.5 mm Ø, medium-hard wire up to 0.8 mm Ø box joint, double leaf spring, high-gloss burnished, with conductive, two-coloured hand protection sleeves 3-672-15 Tip cutter EUROline, 130 mm, miniwate (flush), for soft wire up to 0.8 mm Ø, medium-hard wire up to 0.6 mm Ø, cutting edge 20° angled, design as above

3-682-15 Flat nose pliers EUROline, 130 mm, design as above
 3-683-15 Snipe nose pliers EUROline, 130 mm, short jaws, as above
 4-901 ESD handle made of conductive material, with brass clamping sleeve for the following interchangeable blades:
 4-905 6ct. blade slot 1,5 / 3,0 mm, matt chrome-plated, tips black
 4-906 6ct. blade slot 2,0 / 3,5 mm, matt chrome-plated, tips black
 4-907 6ct. blade slot 2,5 / 4,0 mm, matt chrome-plated, tips black
 4-911 6ct. Blade KS PH 000 / PH 00, matt chrome-plated, tips black
 4-912 6ct. Blade KS PH 0 / PH 1, matt chrome-plated, tips black
 4-921 6ct. Blade TORX T 5 / T 6, matt chrome-plated, tips black
 4-922 L 6-ct. Blade TORX T 7 / T 8, with hole, matt chrome-plated, tips black
 4-923 L 6-ct. Blade TORX T 9 / T 10, with hole, matt chrome-plated, tips black
 5-049-13 SMD tweezers, 110 mm, straight, super pointed, with ESD coating
 5-055-13 SMD tweezers, 120 mm, sickle-shaped, super pointed, with ESD coating
 5-059-13 SMD tweezers, 120 mm, flat, round tips, 2.0 mm wide, as above
 5-067-13 SMD forceps, 120 mm, tip 450 angled, 2.0 mm wide, as above
 5-068-13 SMD forceps, 120 mm, angled tip, 1.6 mm wide, as above
 5-078-13 SMD tweezers, 130 mm, chisel-shaped, tapered, 1.0 mm wide, as above
 7-422 ESD brush, bristle width 20 mm

order unit	set
ESD safe	no