

## ESD Screwdriver Phillips PH00

---



- 
- ESD screwdriver
  - slim, ergonomically shaped handle made of conductive plastic
  - The rotating centering head guarantees precise and fatigue-free working
  - Blade: high-quality chrome-vanadium-molybdenum steel, hardened throughout, matt chrome-plated
  - Handle: black precision handle with yellow rotating cap
  - Leakage resistor 106 - 109 Ohm
  - Standards: IEC 61340-5-1

Item no.	WL43234
Model	4-622
Manufacturer	BERNSTEIN
Manufacturer article no.	4-622

Products for the electronic industry



**GPSR manufacturer data**

BERNSTEIN Werkzeugfabrik  
 Industriehof Trecknase 1  
 DE-42897 Remscheid  
 www.bernstein-werkzeuge.de

Width	85 mm
Length with packaging	180 mm
Width with packaging	85 mm
Height with packaging	17 mm
Sales unit	1 piece
Content unit	1 piece
ESD standard	All ESD tools comply with the ESD standard IEC 61340-5-1. The leakage resistance of the BERNSTEIN ESD tools is in the range of the ideal value between 106 and 109 Ohm.
VDE	no
Screw type	PH00
ESD compliant	yes
Packaging dimensions	piece
Screwdriver type	normal screwdrivers
Tool length	120 mm
Screwdriver (size)	PH00
Handle length	80 mm
Blade diameter	2 mm
Blade length	40 mm

**Other versions**

Item no.	Screw type
WL43233	PH000
<b>WL43234</b>	<b>PH00</b>
WL43235	PH0
WL59997	PH1
WL43324	T1
WL43327	T2
WL43328	T3
WL43329	T4

WL43332	T5
WL43333	T6
WL59996	T7
WL59995	T8
WL59994	T9
WL59993	T10
WL43222	1,5 mm
WL43224	2 mm
WL43225	2,5 mm
WL43226	3 mm
WL59999	3,5 mm
WL59998	4 mm

