

ESD TORX screwdriver, size T 1



- ESD screwdriver
 - slim, ergonomically shaped handles made of dissipative plastic
 - Rotating centering head guarantees precise and fatigue-free work
 - Blade: high-quality chrome-vanadium-molybdenum steel, through-hardened, matt chrome-plated
 - Handle: black precision handle with yellow twist cap
- metric thread: M 0.9

item number	WL43324
model	6-656
manufacturer	BERNSTEIN
manufacturer item number	6-656
width	85 mm

Products for the electronic industry



length with packaging	180 mm
width with packaging	85 mm
height with packaging	17 mm
order unit	1 piece
content unit	1 piece
ESD-standard	All ESD tools comply with the ESD standard IEC 61340-5-1, which means that the leakage resistance of BERNSTEIN ESD tools is within the ideal range of between 106 and 109 ohms.
VDE	no
type of screw	T1
ESD safe	yes
type of screwdriver	normal screwdrivers
tool length	120 mm
screwdriver size	mm: T1
handle length	80 mm
blade diameter	2.5 mm
blade length	40 mm

Other versions

item number	type of screw
WL43233	PH000
WL43234	PH00
WL43235	PH0
WL59997	PH1
WL43324	T1
WL43327	T2
WL43328	T3
WL43329	T4
WL43332	T5
WL43333	T6
WL59996	T7
WL59995	T8
WL59994	T9

WL59993	T10
WL43222	1,5 mm
WL43224	2 mm
WL43225	2,5 mm
WL43226	3 mm
WL59999	3,5 mm
WL59998	4 mm