

ESD low shoe GX 130 black 2.0, S1, Sportline, ladies, black/royal blue, size 39



The SportLine upper is a fabric that consists of textile fibres and combines various advantages. The fabric is particularly air-permeable, breathable and therefore very comfortable to wear. Its hydrophobic properties also make it water-repellent, quick-drying and hard-wearing.

WOMEN'S FIT

The new SPORTY LIGHT sole was specially developed to meet the needs of women's feet and thus offers maximum wearing comfort in your working environment. A high level of wearing comfort and a pleasant soft footbed played a special role in the development. Thus, through anatomical specifications and the most modern technologies, a new women's outsole with a maximum of flexibility, dynamics and comfort could be developed. The unique lamella profile is not only visually eye-catching, but also guarantees maximum slip resistance (SRC). Discover the highlights from the women's collection and be inspired!







Products for the electronic industry







The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

The ATLAS® clima-stream® concept maximises breathability, balances moisture inside the shoe and optimally regulates the temperature of the environment. The use of high-quality, particularly breathable upper material, the thermoregulating inner lining and the Klima Komfort® insole ensures a unique wearing sensation.

geeignet für die Einlagenversorgung-DGUV 112-191

ATLAS® offers you a wide range of different orthopaedic insoles. The articles marked here are suitable for orthopaedic insoles according to DGUV regulation 112-191. The marking on the shoe is decisive for this.

The ATLAS women's models were specially developed to meet the needs of women's feet and thus offer maximum wearing comfort in your working environment. A high level of wearing comfort and a pleasant soft footbed played a special role in the development. Thus, thanks to anatomical specifications and the latest technologies, a women's model with the highest degree of flexibility, dynamics and comfort could be developed.

- EN ISO 20345 S1 SRC
- ESD equipment
- also in W12 and in the special widths W13 and W14
- suitable for insole supply (DGUV 112-191)

item number	WL44590
model	GX 130 black 2.0 ESD
model line	GX 130 black 2.0 ESD
manufacturer	ATLAS
manufacturer item number	45200-39

Products for the electronic industry













length with packaging	350 mm
width with packaging	250 mm
height with packaging	150 mm
order unit	1 pair
content unit	1 pair
colour manufacturer	black / royal blue
Colour	blue, black
material	SportLine upper material
gender	women
protective cap	yes
shoe execution	low shoe
safety class	S1
shoe sole	Sporty-Light sole technology
Slip resistance	SRC
shoe width	W10 (standard width)
features shoes	 SportLine upper material Sporty-Light sole technology Steel toe cap active-X functional lining 3D cushioning system clima-stream concept suitable for insoles-DGUV 112-191 Ladies model
material shoes	Sportline upper
shoe size EU	39
ESD safe	yes
Category (PPE Regulation)	Category 2

Other versions

item number	shoe size EU
WL44586	35
WL44587	36
WL44588	37
WL44589	38
WL44590	39
WL44591	40

Products for the electronic industry













WL44592	41
WL44593	42
WL44594	43







