

## Combination wrench set 6003 Joker 11 set 1, 11 pieces



As the installation space becomes increasingly tight during screwdriving, it remains necessary that tools enable users to work successfully. Narrow spaces require additional placement points of the tool, to allow screws to be accessed and actuated. Can spanners be modified so that the placement possibilities of the tool increase?

The combination of the 7.5° pivoted mouth and the double hexagon geometry doubles the placement points. A repeated 180° turn of the wrench around the longitudinal axis during screwdriving provides four placement possibilities, and bolts or screw heads can be "taken" every 15°. The Joker 6003 with its smart mouth geometry significantly expands the range of uses in confined spaces. The Joker 6003 will automatically find the respective placement point after every turn. The slim yet robust ring side is angled by 15° to the tool axis. The high-quality surface treatment achieves a high and long-lasting corrosion protection.

With Take it easy tool finder: colour coding by size. The Joker pouches are suitable for







Products for the electronic industry







attachment to walls, shelves, workshop trolleys and the Wera 2go system thanks to the hook and loop fastener system on the back.

- Particularly suitable for narrow installation spaces
- The special geometry of the jaws extends the possibilities of the tool
- The small angle of return in the jaws "grabs" the screw every 15°
- Slim, 15° angled ring side
- Suitable for docking to the Wera 2go system

| item number              | WL47843  |
|--------------------------|--|
| model                    | 6003 Joker 11 Set 1  |
| manufacturer             | WERA   |
| manufacturer item number | 05020231001  |
| scope of supply          | 6003 Joker Open-end wrenches 1x 8x115 mm 1x 10x125 mm 1x 11x135 mm 1x 12x148 mm 1x 13x160 mm 1x 14x167 mm 1x 15x174 mm 1x 16x182 mm 1x 17x190 mm 1x 18x210 mm 1x 19x230 mm |
| order unit               | 1 set  |
| content unit             | 1 set  |
| VDE                      | no   |
| ESD safe                 | no   |
| packaging mass           | set  |







