

## Torque adapter, 2.0 Nm, for 1/4 inch bits

---



The torque value is preset in the adapter and can be clamped between any standard holding tool and a 1/4 inch bit. This turns each bit holder into a torque screwdriver.

- preset torque, accuracy tolerance +/-10%.
- precise and accurate, for 20.000 clicks
- Torque adapter length 28 mm (without shaft)
- hexagonal shank 6.35 mm (1/4 inch)
- Magnetic bit holder 6.35 mm (1/4 inch)
- Adapter Ø 12 mm

Recommendation: In connection with power tool max. speed of 100 rpm with minimum click repetition.

Item no.	WL48214
Model	4-985

---

Products for the electronic industry



Manufacturer	BERNSTEIN
Manufacturer article no.	4-985
GPSR manufacturer data	BERNSTEIN Werkzeugfabrik Industriehof Trecknase 1 DE-42897 Remscheid www.bernstein-werkzeuge.de
Length	39 mm
Sales unit	1 piece
Content unit	1 piece
Incl. battery	no
VDE	no
ESD compliant	no
Tool material	special steel
Adapter (torque)	2.0 Nm
Tool length	22 mm

## Other versions

Item no.	Adapter (torque)
WL48480	0.6 Nm
WL48481	0.9 Nm
WL48369	1.2 Nm
WL48213	1.4 Nm
<b>WL48214</b>	<b>2.0 Nm</b>
WL48482	3.0 Nm