

Tool case "Robust34" electric, 26 pieces



Tool case "Robust34" Elektro Equipped with 26 brand-name tools, some of them VDE-tested according to DIN EN 60900. Max. load: 25 kg. Max. load: 25 kg. 34 litre capacity. For the toughest conditions of use: Dustproof, waterproof and temperature resistant. Document compartment; tool boards made of dirt-repellent PP hollow chamber panels with 42 tool pockets that can be equipped and 67 tool loops. Bottom tray with aluminium dividers. Dimensions, outside (W x H x D): 510 x 419 x 215 mm Dimensions, inside (W x H x D): 480 x 356 x 199 mm. Airworthy case made of impact resistant polypropylene. Dust and waterproof. Automatic pressure equalization valve. Temperature stable from -30°C to +80°C. Padlock facility. Document compartment; tool boards made of dirt-repellent PP hollow-chamber panels with equipable tool pockets and loops. Lockable bottom tray can be individually subdivided by aluminium divider system. Ergonomic two-component handle. A total of 93 plug-in options. Equipped with 26 brand-name tools; partially VDE-tested according to DIN EN/IEC 60900. - Dimension width outside (inside): 510mm 480mm - Dimension height outside (inside): 215mm 199mm - Dimension depth outside (inside): 419mm 356mm Scope of delivery: 1 x 12 40 200 KNIPEX self-adjusting wire stripper (0.03 -

10.0 mm²), 1 x 00 11 01 KNIPEX TwinKey® for common cabinets and locking systems (10 profiles. 2 crosses. 1 key.), 1 x 98 52 KNIPEX cable knife, 1 x 97 53 04 KNIPEX self-adjusting crimping pliers for wire end ferrules with side entry (0.08 - 10 + 16 mm²), 1 x 08 26 145 KNIPEX pointed combination pliers (particularly handy), 1 x 87 01 180 KNIPEX Cobra® high-tech water pump pliers, 1 x 13 86 200 KNIPEX electrical installation pliers (Ø 15 mm / 50 mm²), 1 x 16 95 01 SB KNIPEX ErgoStrip® universal stripping tool (Ø 8.0 - 13.0 mm), 1 x 70 06 160 KNIPEX side cutters, 1 x 003484 Wera Kraftform Kompakt VDE 16 Slim, 1 x L240 00055 Stabila folding rule Stabila series 400 (430 mm), 1 x 16135 Stabila spirit level type 70 Electric (430 mm),

- Document compartment
- Tool boards made of dirt-repellent PP hollow chamber plates with 42 tool pockets and 67 tool loops that can be equipped
- Bottom tray with aluminium dividers
- Dimensions, outside (W x H x D): 510 x 419 x 215 mm Dimensions, inside (W x H x D): 480 x 356 x 199 mm
- Airworthy case made of impact resistant polypropylene
- Dust and waterproof
- Automatic pressure compensation valve
- Temperature stable from -30°C to +80°C
- Padlock facility
- Document compartment
- Tool boards made of dirt-repellent PP hollow chamber panels with equipable tool pockets and loops
- Lockable bottom tray can be individually subdivided by aluminium divider system
- Ergonomic two-component handle
- A total of 93 plug-in options

item number	WL50864
model	00 21 36
manufacturer	KNIPEX
manufacturer item number	00 21 36
length	508 mm
width	419 mm
height	215 mm
length with packaging	518 mm
width with packaging	440 mm
height with packaging	226 mm
Packaging volume	51.51 dm ³
scope of supply	1 x 00 11 01 1 x 08 26 145 /

	1 x 12 40 200 1 x 13 86 200 /
	1 x 16 95 01 SB /
	1 x 70 06 160 1 x 87 01 180 /
	1 x 97 53 04 1 x 98 52
order unit	1 piece
content unit	1 piece
product series	Robust34
RoHS conform	no
VDE	no
ESD safe	no