

## Tool case "BIG Twin Move" electric, 65 pieces



Tool case "BIG Twin Move" Elektro Equipped with 14 KNIPEX tools, a total of 63 brand-name tools, some of them VDE-tested according to DIN EN 60900. Telescopic handle recessed in the base as well as two external, easy-running skate wheels. Free-standing in all opening positions due to latching lid holders on both sides with hinge mechanism, angle freely adjustable. Can be opened on one or both sides; base and lid can be opened independently of each other. Labelling field with two stickers for individual labelling. 38 litre capacity. Max. load: 30 kg. Durable design in ABS material, black. All-round aluminium frame with fixed, stable centre panel that can be loaded on both sides, with versatile insertion options using elastic loops and twelve small pockets. Metal hinges. Three-digit combination lock for securely locking the case. Two metal tilt locks each to secure the lid and the bottom. Removable document compartment and removable tool boards made of dirt-repellent PP hollow chamber panels with 13 tool pockets that can be equipped. Bottom tray, can be fixed by push button, height 58 mm, can be subdivided by flexible inserts and cover panel with 13 tool pockets. A total of 95 insertion options. - Dimension width outside (inside): 520mm - Dimension height outside (inside): 435mm

370mm - Dimension depth outside (inside): 290mm 100mm Scope of delivery: 1 x 12 42 195 KNIPEX MultiStrip 10 automatic wire stripper (0.03 - 10.0 mm<sup>2</sup>), 1 x 00 11 01 KNIPEX TwinKey® for common cabinets and locking systems (10 profiles. 2 crosses. 1 key.), 1 x 86 03 180 KNIPEX Pliers Wrench Pliers and wrench in one tool, 1 x 98 52 KNIPEX Cable Knife, 1 x 97 53 04 KNIPEX Self-adjusting Crimping Pliers for wire end ferrules with side entry (0.08 - 10 + 16 mm<sup>2</sup>), 1 x 08 26 145 KNIPEX Pointed Combination Pliers (extra handy), 1 x 87 01 180 KNIPEX Cobra® Hightech Water Pump Pliers, 1 x 98 25 01 SL KNIPEX Screwdriver (Slim) for cross-slotted Pozidriv® screws (PZ 1), 1 x 98 20 35 SL KNIPEX Screwdriver (Slim) for slotted screws (3,5 mm), 1 x 13 86 200 KNIPEX electrical installation pliers (Ø 15 mm / 50 mm<sup>2</sup>), 1 x 16 95 01 SB KNIPEX ErgoStrip® universal stripping tool (Ø 8.0 - 13.0 mm), 1 x 70 06 160 KNIPEX side cutters, 1 x 74 06 200 KNIPEX power side cutters (ideal for all types of wire), 1 x 26 26 200 KNIPEX Flat Nose Pliers with cutting edge (Stork Nose Pliers) (For narrow working areas), 1 x 5003484001 Wera VDE Interchangeable Blade Set, 16-piece, Slim, 1 x 004018 Wera Zyklop Metal Ratchet Set 8100 SA 8 28-piece (1/4"), 1 x 003760 Wera Joker double open-end wrench (10 x 13 mm), 1 x 0030312-0300 Picard fitter's hammer (300 g), 1 x 361 252 1 Rennsteig electrician's chisel (250 x 10 mm), 1 x L240 00055 Stabila folding rule Stabila 400 series (430 mm), 1 x 16135 Stabila spirit level type 70 Electric (430 mm), 1 x 18115 Stabila mini spirit level Pocket Electric (68 mm),

- Durable design made of ABS material, black
- All-round aluminium frame with fixed, sturdy centre panel that can be fitted on both sides, with versatile insertion options thanks to elastic loops and twelve small pockets
- Metal hinges
- Three-digit combination lock for secure locking of the case
- Two metal tilt locks each for fixing the lid and the bottom
- Removable document compartment and removable tool boards made of dirt-repellent PP hollow-chamber plates with 13 tool pockets that can be equipped with tools
- Bottom tray, can be fixed by push button, height 58 mm, can be subdivided by flexible inserts and cover panel with 13 tool pockets
- A total of 95 plug-in options

item number	<b>WL50868</b>
model	00 21 41
manufacturer	KNIPEX
manufacturer item number	00 21 41
GPSR manufacturer information	KNIPEX-Werk Oberkamper Strasse 13 DE-42349 Wuppertal-Cronenberg www.knipex.de
length	525 mm
width	277 mm
height	437 mm

length with packaging	537 mm
width with packaging	321 mm
height with packaging	453 mm
Packaging volume	74.81 dm <sup>3</sup>
scope of supply	1 x 00 11 01 1 x 86 03 180 /  1 x 98 52 /  1 x 98 25 01 SL /  1 x 98 20 35 SL /  1 x 12 42 195 1 x 13 86 200 /  1 x 16 95 01 SB /  1 x 70 06 160 /  1 x 74 06 200 1 x 97 53 04 /  1 x 26 26 200 1 x 08 26 145 /  1 x 87 01 180
order unit	1 piece
content unit	1 piece
product series	BIG Twin Move
RoHS conform	no
VDE	no
ESD safe	no