

Tool case "BIG Twin" electric, 63 pieces



Tool case "BIG Twin" Elektro Equipped with 14 KNIPEX tools, a total of 63 brand-name tools, some of them VDE-tested to DIN EN 60900. Free-standing in all opening positions thanks to latching lid holders on both sides with hinge mechanism, angle freely adjustable. Can be opened on one or both sides; base and lid can be opened independently of each other. Labelling field with two stickers for individual labelling. Max. load: 25 kg. 38 litre capacity. Durable design in ABS material, black. All-round aluminium frame with fixed, sturdy centre panel that can be loaded on both sides, with versatile insertion options using elastic loops and twelve small pockets. Metal hinges. Three-digit combination lock for securely locking the case. Two metal tilt locks each to secure the lid and the bottom. Removable document compartment and removable tool boards made of dirt-repellent PP hollow chamber panels with 13 tool pockets that can be equipped. Bottom tray, can be fixed by push button, height 58 mm, can be subdivided by flexible inserts and cover panel with six large tool pockets. A total of 95 plug-in options. - Dimension width outside (inside): 520mm 490mm - Dimension height outside (inside): 435mm 370mm - Dimension depth outside (inside): 250mm 110mm Scope of delivery: 1 x 12 42 195 KNIPEX MultiStrip 10

automatic wire stripper (0.03 - 10.0 mm²), 1 x 00 11 01 KNIPEX TwinKey® for common cabinets and barrier systems (10 profiles. 2 crosses. 1 key.), 1 x 86 03 180 KNIPEX Pliers Wrench Pliers and wrench in one tool, 1 x 86 03 180 KNIPEX Pliers Wrench Pliers and wrench in one tool, 1 x 98 52 KNIPEX Cable Knife, 1 x 97 53 04 KNIPEX Self-Adjusting Crimping Pliers for wire end ferrules with side entry (0,08 - 10 + 16 mm²), 1 x 08 26 145 KNIPEX Pointed Combination Pliers (extra handy), 1 x 87 01 180 KNIPEX Cobra® Hightech Water Pump Pliers, 1 x 98 25 01 SL KNIPEX Screwdriver (Slim) for cross-slotted head screws Pozidriv® (PZ 1), 1 x 98 20 35 SL KNIPEX screwdriver (Slim) for slotted screws (3.5 mm), 1 x 13 86 200 KNIPEX electrical installation pliers (Ø 15 mm / 50 mm²), 1 x 16 95 01 SB KNIPEX ErgoStrip® universal stripping tool (Ø 8.0 - 13.0 mm), 1 x 70 06 160 KNIPEX side cutters, 1 x 74 06 200 KNIPEX Power Side Cutters (Optimal for all types of wire), 1 x 26 26 200 KNIPEX Flat Round Nose Pliers with cutting edge (Stork's Nose Pliers) (For narrow working areas), 1 x 5003484001 Wera VDE Interchangeable Blade Set, 16 pieces, Slim, 1 x 004018 Wera Zyklop Metal Snap Set 8100 SA 8 28-piece (1/4"), 1 x 003760 Wera Joker double open-end wrench (10 x 13 mm), 1 x 101-0300 Picard locksmith's hammer (300 g), 1 x 361 252 1 Rennsteig electrician's chisel (250 x 10 mm), 1 x L240 00055 Stabila folding rule Stabila series 400 (430 mm), 1 x 16135 Stabila spirit level type 70 Electric (430 mm),

- Durable design made of ABS material, black
- All-round aluminium frame with firmly mounted, sturdy centre panel that can be fitted on both sides, with versatile insertion options thanks to elastic loops and twelve small pockets
- Metal hinges
- Three-digit combination lock for secure locking of the case
- Two metal tilt locks each for fixing the lid and the bottom
- Removable document compartment and removable tool boards made of dirt-repellent PP hollow-chamber plates with 13 tool pockets that can be equipped with tools
- Bottom tray, can be fixed by push button, height 58 mm, can be subdivided by flexible inserts and cover panel with six large tool pockets
- A total of 95 plug-in options

item number	WL50870
model	00 21 42
manufacturer	KNIPEX
manufacturer item number	00 21 42
length	520 mm
width	435 mm
height	265 mm
length with packaging	540 mm
width with packaging	460 mm
height with packaging	270 mm
Packaging volume	67.068 dm ³

scope of supply	1 x 00 11 01 1 x 86 03 180 / 1 x 98 52 1 x 98 25 01 SL / 1 x 98 20 35 SL / 1 x 12 42 195 1 x 13 86 200 / 1 x 16 95 01 SB / 1 x 70 06 160 1 x 74 06 200 / 1 x 97 53 04 1 x 26 26 200 / 1 x 08 26 145 1 x 87 01 180
order unit	1 piece
content unit	1 piece
product series	BIG Twin
RoHS conform	no
VDE	no
ESD safe	no