

Tool case "BIG Twin Move RED" electrical competence, 42 pieces



Tool case "BIG Twin Move RED" Electrical Competence Durable design made of ABS material, red; equipped with an assortment of KNIPEX tools for working on electrical installations, tested according to DIN EN/IEC 60900. Telescopic handle recessed in the bottom as well as two external, easy-running skate wheels. Free-standing in all opening positions due to latching lid holders on both sides with hinge mechanism, angle freely adjustable. Can be opened on one or both sides; base and lid can be opened independently of each other. Max. load: 30 kg. 38 liter capacity. Labeling field with two stickers for individual labeling. All-round aluminum frame with fixed, stable center panel that can be loaded on both sides, with versatile insertion options using elastic loops and twelve small pockets. Metal hinges. Three-digit combination lock to securely lock case. Two metal tilt locks each to secure the lid and bottom. Removable document compartment and removable tool panel made of dirt-repellent PP hollow chamber panels with 13 tool pockets. Bottom tray, fixable by push button, height 58 mm, divisible by

flexible inserts and cover panel with six large tool pockets.

Dimensions, outside (W x H x D): 520 x 435 x 290 mm / Dimensions, inside (W x H x D): 490 x 370 x 110/100 mm / IEC 60900, DIN EN 60900. 95 slots in total.

Dimension width, outside (inside): 520mm 490mm / Dimension height, outside (inside): 435mm 370mm / Dimension depth, outside (inside): 290mm 110mm / 100mm

Scope of delivery: 1 x 11 06 160 KNIPEX stripping pliers with opening spring, universal (\varnothing 5.0 mm / 10.0 mm²), 1 x 98 52 KNIPEX cable knife, 1 x 98 53 03 KNIPEX stripping knife, 1 x 95 16 200 KNIPEX cable shears with double cutting edge (\varnothing 20 mm / 70 mm²), 1 x 98 40 KNIPEX cross handle with external square 1/2" x 98 47 10 KNIPEX socket for hexagon head screws with square drive 1/2" (10 mm), 1 x 98 47 11 KNIPEX socket for hexagon head screws with square drive 1/2" (11 mm) (11 mm), 1 x 98 47 12 KNIPEX Socket for hexagon head screws with square drive 1/2" (12 mm), 1 x 98 47 13 KNIPEX Socket for hexagon head screws with square drive 1/2" (13 mm), 1 x 98 47 14 KNIPEX socket for hexagon head screws with square drive 1/2" (14 mm), 1 x 98 47 17 KNIPEX socket for hexagon head screws with square drive 1/2" (17 mm), 1 x 98 47 19 KNIPEX socket for hexagon head screws with square drive 1/2" (19 mm), 1 x 98 47 22 KNIPEX socket for hexagon head screws with square socket 1/2" (22 mm), 1 x 98 47 24 KNIPEX socket for hexagon head screws with square socket 1/2" (24 mm), 1 x 98 42 KNIPEX ratchet with square drive 1/2", 1 x 98 45 125 KNIPEX extension with square drive 1/2", 1 x 98 45 250 KNIPEX extension with square drive 1/2" x 08 26 145 KNIPEX Pointed Combination Pliers (extra handy), 1 x 87 26 250 KNIPEX Cobra® VDE Hightech Water Pump Pliers, insulated (2" / 46 mm), 1 x 98 24 01 SL KNIPEX Screwdriver (Slim) for Phillips® screws (PH1), 1 x 98 24 02 SL KNIPEX Screwdriver (Slim) for Phillips® screws (PH2), 1 x 98 25 01 SL KNIPEX Screwdriver (Slim) for cross-slotted head screws Pozidriv® (PZ 1), 1 x 98 25 02 SL KNIPEX Screwdriver (Slim) for cross-slotted head screws Pozidriv® (PZ 2), 1 x 98 20 25 KNIPEX Screwdriver for slotted head screws Pozidriv

- Labelling field with two stickers for individual labelling
- All-round aluminium frame with firmly mounted, sturdy centre panel that can be fitted on both sides, with versatile insertion options thanks to elastic loops and twelve small pockets
- Metal hinges
- Three-digit combination lock for secure locking of the case
- Two metal tilt locks each for fixing the lid and the bottom
- Removable document compartment and removable tool board made of dirt-repellent PP hollow chamber plates with 13 tool pockets
- Bottom tray, can be fixed by push button, height 58 mm, can be subdivided by flexible inserts and cover panel with six large tool pockets
- Dimensions, outside (W x H x D): 520 x 435 x 290 mm Dimensions, inside (W x H x D): 490 x 370 x 110/100 mm
- IEC 60900, DIN EN 60900
- A total of 95 plug-in options

item number	WL50877
model	98 99 15
manufacturer	KNIPEX
manufacturer item number	98 99 15
length	523 mm
width	432 mm
height	317 mm
length with packaging	534 mm
width with packaging	460 mm
height with packaging	317 mm
Packaging volume	77.868 dm ³
scope of supply	1 x 98 64 02 1 x 98 52 / 1 x 98 53 03 1 x 95 16 200 / 1 x 98 24 01 SL / 1 x 98 24 02 SL / 1 x 98 25 01 SL / 1 x 98 25 02 SL / 1 x 98 25 02 SLS / 1 x 98 20 25 / 1 x 98 20 40 SL / 1 x 98 20 55 SL / 1 x 98 20 65 SL 1 x 98 00 10 / 1 x 98 00 13 1 x 98 00 14 / 1 x 98 00 17 1 x 98 00 19 / 1 x 98 00 22 1 x 98 01 10 / 1 x 98 01 13

	1 x 98 01 14 /
	1 x 98 01 17
	1 x 98 01 19 /
	1 x 98 01 22
	1 x 11 06 160 /
	1 x 70 06 160
	1 x 98 40 /
	1 x 98 47 10
	1 x 98 47 11 /
	1 x 98 47 12
	1 x 98 47 13 /
	1 x 98 47 14
	1 x 98 47 17 /
	1 x 98 47 19
	1 x 98 47 22 /
	1 x 98 47 24
	1 x 98 42 /
	1 x 98 45 125
	1 x 98 45 250 /
	1 x 08 26 145
	1 x 87 26 250
order unit	1 piece
content unit	1 piece
product series	BIG Twin Move RED
RoHS conform	no
VDE	no
ESD safe	no