

Non-sparking double open-end wrench, 10 x 11 mm, made of copper beryllium, 100 mm



Non-sparking tools are used in areas where there is a potential fire and explosion hazard due to flying sparks. Double open ended wrench, 10 x 11 mm, made of copper beryllium, 100 mm.

- Made of copper beryllium
- Head angle: 15°
- Double open-end wrench, with two different widths
- Meets the product standards according to DIN 895
- Non-sparking tools are used in areas where there is a potential fire and explosion hazard due to flying sparks
- Head angle of 15° for working in areas difficult to access
- Antimagnetic, extremely corrosion resistant

| | |
|--------------------------|-------------|
| Item no. | WL52773 |
| Model | NSB006-0809 |
| Manufacturer | BAHCO |
| Manufacturer article no. | NSB006-0809 |

Products for the electronic industry



GPSR manufacturer data

BAHCO Werkzeuge
 Maybachstr. 10
 DE-71711 Steinheim
 www.bahco-werkzeuge.de

| | |
|-------------------------|----------------------------------|
| Length | 100 mm |
| Width | 22 mm |
| Height | 6 mm |
| Sales unit | 1 piece |
| Content unit | 1 piece |
| VDE | no |
| ESD compliant | no |
| Tool material | amagnetic steel, copperberyllium |
| Packaging dimensions | piece |
| Type of open-end wrench | Double open-end spanner |
| Wrench size | 10 mm, 11 mm |

Other versions

| Item no. | Wrench size | Length |
|----------------|---------------------|---------------|
| WL52772 | 1 mm, 9 mm | 96 mm |
| WL52769 | 6 mm, 7 mm | 92 mm |
| WL52798 | 6 mm, 7 mm | 195 mm |
| WL52770 | 7 mm, 9 mm | 95 mm |
| WL52771 | 8 mm, 9 mm | 96 mm |
| WL52799 | 8 mm, 9 mm | 200 mm |
| WL52773 | 10 mm, 11 mm | 100 mm |
| WL52800 | 10 mm, 11 mm | 200 mm |
| WL52774 | 10 mm, 12 mm | 100 mm |
| WL52801 | 12 mm, 13 mm | 210 mm |
| WL52775 | 12 mm, 14 mm | 110 mm |
| WL52776 | 13 mm, 15 mm | 110 mm |
| WL52802 | 14 mm, 15 mm | 210 mm |
| WL52777 | 14 mm, 17 mm | 115 mm |
| WL52803 | 16 mm, 17 mm | 215 mm |
| WL52778 | 16 mm, 18 mm | 120 mm |

| | | |
|---------|--------------|--------|
| WL52779 | 17 mm, 19 mm | 124 mm |
| WL52780 | 17 mm, 22 mm | 124 mm |
| WL52781 | 18 mm, 19 mm | 128 mm |
| WL52804 | 18 mm, 19 mm | 220 mm |
| WL52782 | 19 mm, 21 mm | 130 mm |
| WL52783 | 19 mm, 22 mm | 128 mm |
| WL52784 | 20 mm, 22 mm | 130 mm |
| WL52805 | 20 mm, 22 mm | 230 mm |
| WL52785 | 21 mm, 23 mm | 133 mm |
| WL52806 | 21 mm, 23 mm | 230 mm |
| WL52786 | 22 mm, 24 mm | 145 mm |
| WL52807 | 24 mm, 26 mm | 230 mm |
| WL52787 | 24 mm, 27 mm | 150 mm |
| WL52788 | 25 mm, 28 mm | 150 mm |
| WL52808 | 25 mm, 28 mm | 233 mm |
| WL52789 | 26 mm, 28 mm | 157 mm |
| WL52809 | 27 mm, 29 mm | 236 mm |
| WL52811 | 27 mm, 29 mm | 250 mm |
| WL52790 | 27 mm, 30 mm | 163 mm |
| WL52812 | 27 mm, 30 mm | 250 mm |
| WL52791 | 27 mm, 32 mm | 170 mm |
| WL52813 | 27 mm, 32 mm | 243 mm |
| WL52814 | 28 mm, 30 mm | 250 mm |
| WL52815 | 30 mm, 31 mm | 265 mm |
| WL52792 | 30 mm, 32 mm | 173 mm |
| WL52810 | 30 mm, 32 mm | 250 mm |
| WL52816 | 30 mm, 32 mm | 265 mm |
| WL52817 | 30 mm, 34 mm | 270 mm |
| WL52793 | 30 mm, 36 mm | 175 mm |
| WL52818 | 30 mm, 36 mm | 270 mm |
| WL52819 | 32 mm, 34 mm | 270 mm |
| WL52820 | 32 mm, 35 mm | 300 mm |
| WL52794 | 32 mm, 36 mm | 175 mm |
| WL52821 | 32 mm, 36 mm | 300 mm |
| WL52822 | 33 mm, 35 mm | 300 mm |

| | | |
|---------|--------------|--------|
| WL52823 | 34 mm, 36 mm | 300 mm |
| WL52824 | 35 mm, 36 mm | 300 mm |
| WL52825 | 36 mm, 38 mm | 330 mm |
| WL52795 | 36 mm, 41 mm | 182 mm |
| WL52826 | 36 mm, 41 mm | 330 mm |
| WL52827 | 38 mm, 42 mm | 330 mm |
| WL52796 | 41 mm, 46 mm | 185 mm |
| WL52828 | 41 mm, 46 mm | 360 mm |
| WL52797 | 46 mm, 50 mm | 190 mm |
| WL52829 | 46 mm, 50 mm | 370 mm |
| WL52830 | 50 mm, 52 mm | 375 mm |
| WL52831 | 50 mm, 55 mm | 385 mm |
| WL52832 | 50 mm, 60 mm | 400 mm |
| WL52833 | 50 mm, 62 mm | 400 mm |
| WL52834 | 55 mm, 60 mm | 415 mm |
| WL52835 | 60 mm, 65 mm | 435 mm |
| WL52836 | 65 mm, 70 mm | 480 mm |