

## Non-sparking 4.11/16" copper beryllium impact box wrench, 480 mm

---



---

Non-sparking tools are used in areas where there is a potential fire and explosion hazard due to flying sparks. 4-11/16 striking-face box wrench made of copper beryllium, 480 mm.

- Made of copper beryllium
- For use with a hammer for tightening large bolts and nuts
- DIN 7444
- Non-sparking tools are used in areas where there is a potential fire and explosion hazard due to flying sparks
- Antimagnetic, extremely corrosion resistant

|              |            |
|--------------|------------|
| Item no.     | WL53021    |
| Model        | NSB106-150 |
| Manufacturer | BAHCO      |

---

Products for the electronic industry



|                          |                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------|
| Manufacturer article no. | NSB106-150                                                                        |
| GPSR manufacturer data   | BAHCO Werkzeuge<br>Maybachstr. 10<br>DE-71711 Steinheim<br>www.bahco-werkzeuge.de |
| Length                   | 480 mm                                                                            |
| Width                    | 364 mm                                                                            |
| Height                   | 60 mm                                                                             |
| Sales unit               | 1 piece                                                                           |
| Content unit             | 1 piece                                                                           |
| Incl. battery            | no                                                                                |
| VDE                      | no                                                                                |
| ESD compliant            | no                                                                                |
| Tool material            | amagnetic steel, copperberyllium                                                  |
| Packaging dimensions     | piece                                                                             |
| Type of ring spanner     | brass knuckles spanner                                                            |
| Spark-free tools         | yes                                                                               |
| Wrench size              | 4.11/16"                                                                          |

## Other versions

| Item no. | Wrench size | Length |
|----------|-------------|--------|
| WL53033  | 1 1/8"      | 185 mm |
| WL53031  | 1"          | 175 mm |
| WL53040  | 1.1/2"      | 215 mm |
| WL53035  | 1.1/4"      | 185 mm |
| WL53032  | 1.1/16"     | 175 mm |
| WL53044  | 1.3/4"      | 235 mm |
| WL53037  | 1.3/8"      | 205 mm |
| WL53042  | 1.5/8"      | 225 mm |
| WL53036  | 1.5/16"     | 200 mm |
| WL53046  | 1.7/8"      | 235 mm |
| WL53039  | 1.7/16"     | 205 mm |
| WL53041  | 1.9/16"     | 225 mm |
| WL53043  | 1.11/16"    | 225 mm |

|         |          |        |
|---------|----------|--------|
| WL53034 | 1.13/16" | 185 mm |
| WL53045 | 1.13/16" | 235 mm |
| WL53038 | 1.13/32" | 205 mm |
| WL53047 | 1.15/16" | 250 mm |
| WL53048 | 2"       | 250 mm |
| WL53057 | 2.1/2"   | 298 mm |
| WL53053 | 2.1/4"   | 274 mm |
| WL53050 | 2.1/8"   | 265 mm |
| WL53049 | 2.1/16"  | 265 mm |
| WL53060 | 2.3/4"   | 320 mm |
| WL53055 | 2.3/8"   | 274 mm |
| WL53051 | 2.3/16"  | 265 mm |
| WL53059 | 2.5/8"   | 298 mm |
| WL53054 | 2.5/16"  | 274 mm |
| WL53062 | 2.7/8"   | 326 mm |
| WL53056 | 2.7/16"  | 274 mm |
| WL53058 | 2.9/16"  | 298 mm |
| WL53061 | 2.13/16" | 320 mm |
| WL53052 | 2.13/64" | 265 mm |
| WL53063 | 2.15/16" | 326 mm |
| WL53009 | 3.1/2"   | 390 mm |
| WL53007 | 3.1/4"   | 355 mm |
| WL53006 | 3.1/8"   | 350 mm |
| WL53065 | 3.1/16"  | 350 mm |
| WL53012 | 3.3/4"   | 390 mm |
| WL53008 | 3.3/8"   | 355 mm |
| WL53011 | 3.5/8"   | 390 mm |
| WL53013 | 3.7/8"   | 410 mm |
| WL53010 | 3.9/16"  | 390 mm |
| WL53014 | 3.15/16" | 410 mm |
| WL53026 | 3/4"     | 145 mm |
| WL53015 | 4"       | 410 mm |
| WL53019 | 4.1/2"   | 450 mm |
| WL53017 | 4.1/4"   | 445 mm |
| WL53016 | 4.1/8"   | 420 mm |



|                |                 |               |
|----------------|-----------------|---------------|
| WL53018        | 4.5/16"         | 445 mm        |
| WL53022        | 4.7/8"          | 480 mm        |
| WL53020        | 4.9/16"         | 450 mm        |
| <b>WL53021</b> | <b>4.11/16"</b> | <b>480 mm</b> |
| WL53023        | 4.15/16"        | 480 mm        |
| WL53024        | 5/8"            | 145 mm        |
| WL53029        | 7/8"            | 155 mm        |
| WL53025        | 11/16"          | 145 mm        |
| WL53028        | 13/16"          | 155 mm        |
| WL53030        | 15/16"          | 165 mm        |
| WL53027        | 25/32"          | 155 mm        |
| WL53064        | 96 mm           | 326 mm        |