

Safety shoe Anatomic Bau 500, S3, smooth leather, unisex, black, size 45



At ATLAS®, only the best quality cowhides are processed. Extremely careful selection ensures that only flawless, high-quality and soft leathers are used. The ATLAS Waterproof smooth leather has to withstand special challenges throughout the entire working day. The approx. 2mm thick full-grain cowhide leather is particularly characterised by its lasting waterproofness and thus ensures dry feet for several hours. It is also particularly breathable, durable and dimensionally stable.

FUNCTION AND PERFORMANCE IN THE FRESH AIR

Wet and uneven ground, a wide variety of terrain profiles and adverse weather conditions. Especially in outdoor working environments, it's all about the right outsole. With the outdoor outsole technology from ATLAS® you are perfectly equipped. The individual tread blocks offer maximum flexibility for optimum contact with the ground and guarantee maximum grip. The coarse lug tread with a depth of 4.5mm significantly reduces the risk of

slipping on wet or slippery surfaces. With this sole, you are optimally equipped for outdoor use - from construction sites to green areas.

The anti-puncture steel midsole is made of corrosion-resistant stainless steel and protects the foot against sharp objects such as nails. It has been optimally adapted to the last fit and foamed into the midsole material. This means that you are optimally protected even during long and hard indoor and outdoor use.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

The overcap offers special protection against abrasion in the area of the shoe toe, protects the upper leather in this area against premature wear and noticeably increases the service life of the safety shoe.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung-DGUV 112-191

ATLAS® offers you a wide range of different orthopaedic insoles. The articles marked here are suitable for orthopaedic insoles according to DGUV regulation 112-191. The marking on the shoe is decisive for this.

Item no.	WL55647
Model	Anatomic Bau 500
Model line	Anatomic Bau 500
Manufacturer	ATLAS
Manufacturer article no.	4900-45
GPSR manufacturer data	ATLAS-Schuhfabrik GmbH & Co.KG Frische Luft 159 DE-44319 Dortmund www.atlasschuhe.de

Length with packaging	350 mm
Width with packaging	250 mm
Height with packaging	150 mm
Sales unit	1 pair
Content unit	1 pair
Manufacturer colour information	black
Colour	black
Incl. battery	no
Protective cap	yes
Type of shoes	safety shoe
Safety class	S3
Shoe sole	Outdoor sole technology
Slip resistance	SRC
Shoe width	W10 (standard width)
Penetration resistance	yes
Features (shoes)	<ul style="list-style-type: none"> • Waterproof smooth leather • Outdoor sole technology • penetration inhibition • Steel toe cap • Overcap • active-X functional lining • 3D cushioning system • suitable for insoles-DGUV 112-191
Material (shoes)	waterproof smooth leather
Shoe size EU	45
ESD compliant	no
Risk category (PPE regulation)	Category 2

Other versions

Item no.	Shoe size EU	Shoe width
WL55638	36	W10 (standard width)
WL55653	36	W12
WL55639	37	W10 (standard width)
WL55654	37	W12
WL55640	38	W10 (standard width)
WL55655	38	W12

WL55641	39	W10 (standard width)
WL55656	39	W12
WL55642	40	W10 (standard width)
WL55657	40	W12
WL55643	41	W10 (standard width)
WL55658	41	W12
WL55644	42	W10 (standard width)
WL55659	42	W12
WL55645	43	W10 (standard width)
WL55660	43	W12
WL55646	44	W10 (standard width)
WL55661	44	W12
WL55647	45	W10 (standard width)
WL55662	45	W12
WL55648	46	W10 (standard width)
WL55663	46	W12
WL55649	47	W10 (standard width)
WL55664	47	W12
WL55650	48	W10 (standard width)
WL55665	48	W12
WL55651	49	W10 (standard width)
WL55666	49	W12
WL55652	50	W10 (standard width)
WL55667	50	W12