# ESD low shoe CX 345, S3, cowhide, unisex, black, size 45



At ATLAS®, only the best quality cowhides are processed. An extremely careful selection process ensures that only flawless, high-quality and soft leathers are used.

Whether you're wearing a classic suit or an urban business look, the models in the City Style series always go perfectly with your outfit. The City Style sole system brings together the latest technologies and the individual requirements of every wearer, whether on hard industrial floors or on the chic office parquet. The outsole system is light, flexible and particularly comfortable - be inspired by the models of the City Style series!

The anti-puncture steel midsole is made of corrosion-resistant stainless steel and protects the foot against sharp objects such as nails. It has been optimally adapted to the last fit and foamed into the midsole material. This means that you are optimally protected even during long and hard indoor and outdoor use.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of

min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung-DGUV 112-191

ATLAS® offers you a wide range of different orthopaedic insoles. The articles marked here are suitable for orthopaedic insoles according to DGUV regulation 112-191. The marking on the shoe is decisive for this.

| **Item no.** | **WL56025** |
|---|---|
| Model | CX 345 ESD |
| Model line | CX 345 ESD |
| Manufacturer | ATLAS |
| Manufacturer article no. | 79900-45 |
| GPSR manufacturer data | ATLAS-Schuhfabrik GmbH & Co.KG<br>Frische Luft 159<br>DE-44319 Dortmund<br>www.atlasschuhe.de |
| Length with packaging | 350 mm |
| Width with packaging | 250 mm |
| Height with packaging | 150 mm |
| Sales unit | 1 pair |
| Content unit | 1 pair |
| Manufacturer colour information | black |
| Colour | black |
| Protective cap | yes |
| Type of shoes | low shoe |
| Safety class | S3 |

| | |
|---|---|
| Shoe sole | MPU sole technology |
| Slip resistance | SRC |
| Shoe width | W10 (standard width) |
| Penetration resistance | yes |
| Features (shoes) | • soft cowhide leather<br>• MPU sole technology<br>• penetration resistance<br>• steel toe cap<br>• active-X functional lining<br>• 3D cushioning system<br>• suitable for insoles-DGUV 112-191 |
| Material (shoes) | soft cowhide |
| Shoe size EU | 45 |
| ESD compliant | yes |
| Risk category (PPE regulation) | Category 2 |

## Other versions

| Item no. | Shoe size EU |
|---|---|
| WL56019 | 39 |
| WL56020 | 40 |
| WL56021 | 41 |
| WL56022 | 42 |
| WL56023 | 43 |
| WL56024 | 44 |
| **WL56025** | **45** |
| WL56026 | 46 |
| WL56027 | 47 |
| WL56028 | 48 |