

Low shoe ERGO-MED 2000 2.0, W12, S1, mesh, unisex,
black/grey, size 50



The SportLine upper is a fabric that consists of textile fibres and combines various advantages. The fabric is particularly air-permeable, breathable and therefore very comfortable to wear. Its hydrophobic properties also make it water-repellent, quick-drying and hard-wearing.

ATLAS® brings together state-of-the-art technologies and the anatomical needs of every wearer. The new INNOFLEX SYSTEM® is a holistic running sole concept and supports the runner in every phase of movement. From the first to the last contact with the ground, the sole complex is permanently guided by the same, natural line of force, the INNOFLEX LINE. It optimally guides the forces from the heel to the toe and thus supports the natural line of force progression. Special areas such as the CLOUDZONE in the heel are responsible for the corresponding energy absorption, i.e. cushioning. The large-format tread surfaces, which are equipped with particularly energy-absorbing MPU® material,

absorb the energy and return it to the movement process in a targeted manner. This guarantees fatigue-free walking throughout the entire working day.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

Especially when kneeling, wear and tear can occur in the area of the shoe toe after some time. These can be significantly reduced with the help of the abrasion-resistant MPU toe protector and the service life of the shoe is thus increased.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

The ATLAS® clima-stream® concept maximises breathability, balances moisture inside the shoe and optimally regulates the temperature of the environment. The use of high-quality, particularly breathable upper material, the thermoregulating inner lining and the Klima Komfort® insole ensures a unique wearing sensation.

geeignet für die Einlagenversorgung und zur Herstellung orthopädischer Zurichtungen (Sohlen- und Absatzerhöhungen) gemäß DGUV 112-191

ATLAS offers the models from the Ergo-Med series for orthopaedic care through shoe modifications. The articles marked with "blueline" are also suitable for certified orthopaedic modifications according to DGUV regulation 112-191.

item number	WL56286
model	ERGO-MED 2000 2.0, W12
model line	ERGO-MED 2000 2.0
manufacturer	ATLAS
manufacturer item number	86412-50
length with packaging	350 mm
width with packaging	250 mm

height with packaging	150 mm
order unit	1 pair
content unit	1 pair
colour manufacturer	black / grey
Colour	grey, black
protective cap	yes
shoe execution	low shoe
safety class	S1
shoe sole	MPU INNOFLEX system
Slip resistance	SRC
shoe width	W12
features shoes	<ul style="list-style-type: none"> • Mesh upper material • MPU INNOFLEX system • steel toe cap • carbon fibre reinforced toe protection • aktiv-X functional lining • 3D cushioning system • clima-stream concept • suitable for the supply of insoles and for the production of orthopaedic adjustments (sole and heel elevations) according to DGUV 112-191
material shoes	mesh upper
shoe size EU	50
Category (PPE Regulation)	Category 2

Other versions

item number	shoe size EU	shoe width
WL56258	36	W10 (standard width)
WL56272	36	W12
WL56287	36	W13
WL56302	36	W14
WL54805	37	W10 (standard width)
WL56273	37	W12
WL56288	37	W13
WL56303	37	W14
WL56259	38	W10 (standard width)

WL56274	38	W12
WL56289	38	W13
WL56304	38	W14
WL56260	39	W10 (standard width)
WL56275	39	W12
WL56290	39	W13
WL56305	39	W14
WL56261	40	W10 (standard width)
WL56276	40	W12
WL56291	40	W13
WL56306	40	W14
WL56262	41	W10 (standard width)
WL56277	41	W12
WL56292	41	W13
WL56307	41	W14
WL56263	42	W10 (standard width)
WL56278	42	W12
WL56293	42	W13
WL56308	42	W14
WL56264	43	W10 (standard width)
WL56279	43	W12
WL56294	43	W13
WL56309	43	W14
WL56265	44	W10 (standard width)
WL56280	44	W12
WL56295	44	W13
WL56310	44	W14
WL56266	45	W10 (standard width)
WL56281	45	W12
WL56296	45	W13
WL56311	45	W14
WL56267	46	W10 (standard width)
WL56282	46	W12
WL56297	46	W13
WL56312	46	W14

WL56268	47	W10 (standard width)
WL56283	47	W12
WL56298	47	W13
WL56313	47	W14
WL56269	48	W10 (standard width)
WL56284	48	W12
WL56299	48	W13
WL56314	48	W14
WL56270	49	W10 (standard width)
WL56285	49	W12
WL56300	49	W13
WL56315	49	W14
WL56271	50	W10 (standard width)
WL56286	50	W12
WL56301	50	W13
WL56316	50	W14