

**Sandal ERGO-MED 360 2.0, W14, S1, Sportline, unisex,
black/royal blue, size 50**



The SportLine upper is a fabric that consists of textile fibres and combines various advantages. The fabric is particularly air-permeable, breathable and therefore very comfortable to wear. Its hydrophobic properties also make it water-repellent, quick-drying and hard-wearing.

ATLAS® brings together state-of-the-art technologies and the anatomical needs of every wearer. The new INNOFLEX SYSTEM® is a holistic running sole concept and supports the runner in every phase of movement. From the first to the last contact with the ground, the sole complex is permanently guided by the same, natural line of force, the INNOFLEX LINE. It optimally guides the forces from the heel to the toe and thus supports the natural line of force progression. Special areas such as the CLOUDZONE in the heel are responsible for the corresponding energy absorption, i.e. cushioning. The large-format tread surfaces, which are equipped with particularly energy-absorbing MPU® material,

absorb the energy and return it to the movement process in a targeted manner. This guarantees fatigue-free walking throughout the entire working day.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

Especially when kneeling, wear and tear can occur in the area of the shoe toe after some time. These can be significantly reduced with the help of the abrasion-resistant MPU toe protector and the service life of the shoe is thus increased.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

The ATLAS® clima-stream® concept maximises breathability, balances moisture inside the shoe and optimally regulates the temperature of the environment. The use of high-quality, particularly breathable upper material, the thermoregulating inner lining and the Klima Komfort® insole ensures a unique wearing sensation.

geeignet für die Einlagenversorgung und zur Herstellung orthopädischer Zurichtungen (Sohlen- und Absatzerhöhungen) gemäß DGUV 112-191

ATLAS offers the models from the Ergo-Med series for orthopaedic care through shoe modifications. The articles marked with "blueline" are also suitable for certified orthopaedic modifications according to DGUV regulation 112-191.

item number	WL56363
model	ERGO-MED 360 2.0, W14
model line	ERGO-MED 360 2.0
manufacturer	ATLAS
manufacturer item number	87714-50
length with packaging	350 mm
width with packaging	250 mm

height with packaging	150 mm
order unit	1 pair
content unit	1 pair
colour manufacturer	black / royal blue
Colour	blue, black
protective cap	yes
shoe execution	sandal
safety class	S1
shoe sole	MPU INNOFLEX system
Slip resistance	SRC
shoe width	W14
features shoes	<ul style="list-style-type: none"> • SportLine upper • MPU INNOFLEX system • steel toe cap • aktiv-X functional lining • 3D cushioning system • clima-stream concept • suitable for the supply of insoles and for the production of orthopaedic adjustments (sole and heel elevations) according to DGUV 112-191
material shoes	Sportline upper
shoe size EU	50
Category (PPE Regulation)	Category 2

Other versions

item number	shoe size EU	shoe width
WL44595	36	W10 (standard width)
WL56319	36	W12
WL56334	36	W13
WL56349	36	W14
WL44596	37	W10 (standard width)
WL56320	37	W12
WL56335	37	W13
WL56350	37	W14
WL44597	38	W10 (standard width)
WL56321	38	W12

WL56336	38	W13
WL56351	38	W14
WL44598	39	W10 (standard width)
WL56322	39	W12
WL56337	39	W13
WL56352	39	W14
WL44599	40	W10 (standard width)
WL56323	40	W12
WL56338	40	W13
WL56353	40	W14
WL44600	41	W10 (standard width)
WL56324	41	W12
WL56339	41	W13
WL56354	41	W14
WL44601	42	W10 (standard width)
WL56325	42	W12
WL56340	42	W13
WL56355	42	W14
WL44602	43	W10 (standard width)
WL56326	43	W12
WL56341	43	W13
WL56356	43	W14
WL44603	44	W10 (standard width)
WL56327	44	W12
WL56342	44	W13
WL56357	44	W14
WL44604	45	W10 (standard width)
WL56328	45	W12
WL56343	45	W13
WL56358	45	W14
WL44605	46	W10 (standard width)
WL56329	46	W12
WL56344	46	W13
WL56359	46	W14
WL44606	47	W10 (standard width)

Products for the electronic industry



WL56330	47	W12
WL56345	47	W13
WL56360	47	W14
WL44607	48	W10 (standard width)
WL56331	48	W12
WL56346	48	W13
WL56361	48	W14
WL56317	49	W10 (standard width)
WL56332	49	W12
WL56347	49	W13
WL56362	49	W14
WL56318	50	W10 (standard width)
WL56333	50	W12
WL56348	50	W13
WL56363	50	W14

