


Safety shoe ERGO-MED 500, W13, S3, smooth leather, unisex, black, size 47



At ATLAS®, only the best quality cowhides are processed. Extremely careful selection ensures that only flawless, high-quality and soft leathers are used. The ATLAS Waterproof smooth leather has to withstand special challenges throughout the entire working day. The approx. 2mm thick full-grain cowhide leather is particularly characterised by its lasting waterproofness and thus ensures dry feet for several hours. It is also particularly breathable, durable and dimensionally stable.

FUNCTION AND PERFORMANCE IN THE FRESH AIR

Wet and uneven ground, a wide variety of terrain profiles and adverse weather conditions. Especially in outdoor working environments, it's all about the right outsole. With the outdoor outsole technology from ATLAS® you are perfectly equipped. The individual tread blocks offer maximum flexibility for optimum contact with the ground and guarantee maximum grip. The coarse lug tread with a depth of 4.5mm significantly reduces the risk of













slipping on wet or slippery surfaces. With this sole, you are optimally equipped for outdoor use - from construction sites to green areas.

The anti-puncture steel midsole is made of corrosion-resistant stainless steel and protects the foot against sharp objects such as nails. It has been optimally adapted to the last fit and foamed into the midsole material. This means that you are optimally protected even during long and hard indoor and outdoor use.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

The overcap offers special protection against abrasion in the area of the shoe toe, protects the upper leather in this area against premature wear and noticeably increases the service life of the safety shoe.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung und zur Herstellung orthopädischer Zurichtungen (Sohlen- und Absatzerhöhungen) gemäß DGUV 112-191

ATLAS offers the models from the Ergo-Med series for orthopaedic care through shoe modifications. The articles marked with "blueline" are also suitable for certified orthopaedic modifications according to DGUV regulation 112-191.

item number	WL56520
model	ERGO-MED 500, W13
model line	ERGO-MED 500
manufacturer	ATLAS
manufacturer item number	95613-47
length with packaging	350 mm
width with packaging	250 mm

Products for the electronic industry













height with packaging	150 mm
order unit	1 pair
content unit	1 pair
colour manufacturer	black
Colour	black
protective cap	yes
shoe execution	safety shoe
safety class	S3
shoe sole	Outdoor sole technology
Slip resistance	SRC
Puncture resistance	penetration inhibition
shoe width	W13
features shoes	 Waterproof smooth leather Outdoor sole technology penetration inhibition steel toe cap aktiv-X functional lining 3D cushioning system suitable for insoles and for the production of orthopaedic fittings (sole and heel elevations) according to DGUV 112-191
material shoes	waterproof smooth leather
shoe size EU	47
Category (PPE Regulation)	Category 2

Other versions

item number	shoe size EU	shoe width
WL56481	36	W10 (standard width)
WL56495	36	W12
WL56509	36	W13
WL56523	36	W14
WL56482	37	W10 (standard width)
WL56496	37	W12
WL56510	37	W13
WL56524	37	W14
WL56483	38	W10 (standard width)

Products for the electronic industry













WL56497	38	W12
WL56511	38	W13
WL56525	38	W14
WL56484	39	W10 (standard width)
WL56498	39	W12
WL56512	39	W13
WL56526	39	W14
WL56485	40	W10 (standard width)
WL56499	40	W12
WL56513	40	W13
WL56527	40	W14
WL56486	41	W10 (standard width)
WL56500	41	W12
WL56514	41	W13
WL56528	41	W14
WL56487	42	W10 (standard width)
WL56501	42	W12
WL56515	42	W13
WL56529	42	W14
WL56488	43	W10 (standard width)
WL56502	43	W12
WL56516	43	W13
WL56530	43	W14
WL56489	44	W10 (standard width)
WL56503	44	W12
WL56517	44	W13
WL56531	44	W14
WL56490	45	W10 (standard width)
WL56504	45	W12
WL56518	45	W13
WL56532	45	W14
WL56491	46	W10 (standard width)
WL56505	46	W12
WL56519	46	W13
WL56533	46	W14

Products for the electronic industry













WL56492	47	W10 (standard width)
WL56506	47	W12
WL56520	47	W13
WL56534	47	W14
WL56493	48	W10 (standard width)
WL56507	48	W12
WL56521	48	W13
WL56535	48	W14
WL56494	49	W10 (standard width)
WL56508	49	W12
WL56522	49	W13
WL56536	49	W14







