

## Safety shoe ERGO-MED 735 XP, W10, S3, nubuck leather, unisex, black/royal blue, size 46



At ATLAS®, only the best quality cowhides are processed. Extremely careful selection ensures that only flawless, high-quality and soft leathers are used. The ATLAS SOFT nubuck leather has to withstand special challenges throughout the entire working day. The approx. 2mm thick full-grain cowhide leather is particularly characterised by its breathability and soft, comfortable feel.

## FUNCTION AND PERFORMANCE IN THE FRESH AIR

Wet and uneven ground, a wide variety of terrain profiles and adverse weather conditions. Especially in outdoor working environments, it's all about the right outsole. With the outdoor outsole technology from ATLAS® you are perfectly equipped. The individual tread blocks offer maximum flexibility for optimum contact with the ground and guarantee maximum grip. The coarse lug tread with a depth of 4.5mm significantly reduces the risk of slipping on wet or slippery surfaces. With this sole, you are optimally equipped for outdoor











use - from construction sites to green areas.

With the puncture-resistant XP® technology, ATLAS® offers an innovative system to protect the foot against sharp objects such as nails. A high-tech textile material containing aramid fibres is used for this purpose. The increased safety is not at the expense of wearing comfort, because the textile is metal-free, extremely light and supports the natural torsion of the foot.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

Especially when kneeling, wear and tear can occur in the area of the shoe toe after some time. These can be significantly reduced with the help of the abrasion-resistant MPU toe protector and the service life of the shoe is thus increased.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung und zur Herstellung orthopädischer Zurichtungen (Sohlen- und Absatzerhöhungen) gemäß DGUV 112-191

ATLAS offers the models from the Ergo-Med series for orthopaedic care through shoe modifications. The articles marked with "blueline" are also suitable for certified orthopaedic modifications according to DGUV regulation 112-191.

WL56667
ERGO-MED 735 XP, W10
ERGO-MED 735 XP
ATLAS
86500-46
350 mm
250 mm













height with packaging	150 mm
order unit	1 pair
content unit	1 pair
colour manufacturer	black / royal blue
Colour	blue, black
protective cap	yes
shoe execution	safety shoe
safety class	S3
shoe sole	Outdoor sole technology
Slip resistance	SRC
Puncture resistance	XP metal-free penetration resistance
shoe width	W10 (standard width)
features shoes	<ul> <li>SOFT nubuck leather</li> <li>Outdoor sole technology</li> <li>XP metal-free penetration resistance</li> <li>steel toe cap and MPU toe protection</li> <li>aktiv-X functional lining</li> <li>3D cushioning system</li> <li>suitable for the supply of insoles and for the production of orthopedic adjustments (sole and heel elevations) according to DGUV 112-191</li> </ul>
material shoes	Nubuk-leather
shoe size EU	46
Category (PPE Regulation)	Category 2

## Other versions

item number	shoe size EU	shoe width
WL56657	36	W10 (standard width)
WL56672	36	W12
WL56687	36	W13
WL56702	36	W14
WL56658	37	W10 (standard width)
WL56673	37	W12
WL56688	37	W13
WL56703	37	W14
WL56659	38	W10 (standard width)













WL56674	38	W12
WL56689	38	W13
WL56704	38	W14
WL56660	39	W10 (standard width)
WL56675	39	W12
WL56690	39	W13
WL56705	39	W14
WL56661	40	W10 (standard width)
WL56676	40	W12
WL56691	40	W13
WL56706	40	W14
WL56662	41	W10 (standard width)
WL56677	41	W12
WL56692	41	W13
WL56707	41	W14
WL56663	42	W10 (standard width)
WL56678	42	W12
WL56693	42	W13
WL56708	42	W14
WL56664	43	W10 (standard width)
WL56679	43	W12
WL56694	43	W13
WL56709	43	W14
WL56665	44	W10 (standard width)
WL56680	44	W12
WL56695	44	W13
WL56710	44	W14
WL56666	45	W10 (standard width)
WL56681	45	W12
WL56696	45	W13
WL56711	45	W14
WL56667	46	W10 (standard width)
WL56682	46	W12
WL56697	46	W13
WL56712	46	W14













WL56668	47	W10 (standard width)
WL56683	47	W12
WL56698	47	W13
WL56713	47	W14
WL56669	48	W10 (standard width)
WL56684	48	W12
WL56699	48	W13
WL56714	48	W14
WL56670	49	W10 (standard width)
WL56685	49	W12
WL56700	49	W13
WL56715	49	W14
WL56671	50	W10 (standard width)
WL56686	50	W12
WL56701	50	W13
WL56716	50	W14







