

Safety shoe ERGO-MED 735 XP, W13, S3, nubuck leather, unisex, black/royal blue, size 44



At ATLAS®, only the best quality cowhides are processed. Extremely careful selection ensures that only flawless, high-quality and soft leathers are used. The ATLAS SOFT nubuck leather has to withstand special challenges throughout the entire working day. The approx. 2mm thick full-grain cowhide leather is particularly characterised by its breathability and soft, comfortable feel.

FUNCTION AND PERFORMANCE IN THE FRESH AIR

Wet and uneven ground, a wide variety of terrain profiles and adverse weather conditions. Especially in outdoor working environments, it's all about the right outsole. With the outdoor outsole technology from ATLAS® you are perfectly equipped. The individual tread blocks offer maximum flexibility for optimum contact with the ground and guarantee maximum grip. The coarse lug tread with a depth of 4.5mm significantly reduces the risk of slipping on wet or slippery surfaces. With this sole, you are optimally equipped for outdoor













use - from construction sites to green areas.

With the puncture-resistant XP® technology, ATLAS® offers an innovative system to protect the foot against sharp objects such as nails. A high-tech textile material containing aramid fibres is used for this purpose. The increased safety is not at the expense of wearing comfort, because the textile is metal-free, extremely light and supports the natural torsion of the foot.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

Especially when kneeling, wear and tear can occur in the area of the shoe toe after some time. These can be significantly reduced with the help of the abrasion-resistant MPU toe protector and the service life of the shoe is thus increased.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung und zur Herstellung orthopädischer Zurichtungen (Sohlen- und Absatzerhöhungen) gemäß DGUV 112-191

ATLAS offers the models from the Ergo-Med series for orthopaedic care through shoe modifications. The articles marked with "blueline" are also suitable for certified orthopaedic modifications according to DGUV regulation 112-191.

W ECCOE

item number	WL56695
model	ERGO-MED 735 XP, W13
model line	ERGO-MED 735 XP
manufacturer	ATLAS
manufacturer item number	86513-44
GPSR manufacturer information	ATLAS-Schuhfabrik GmbH & Co.KG Frische Luft 159

Products for the electronic industry













	DE-44319 Dortmund	
	www.atlasschuhe.de	
length with packaging	350 mm	
width with packaging	250 mm	
height with packaging	150 mm	
order unit	1 pair	
content unit	1 pair	
colour manufacturer	black / royal blue	
Colour	blue, black	
protective cap	yes	
shoe execution	safety shoe	
safety class	S3	
shoe sole	Outdoor sole technology	
Slip resistance	SRC	
Puncture resistance	XP metal-free penetration resistance	
shoe width	W13	
features shoes	 SOFT nubuck leather Outdoor sole technology XP metal-free penetration resistance steel toe cap aktiv-X functional lining 3D cushioning system suitable for insoles and for the production of orthopaedic fittings (sole and heel elevations) according to DGUV 112-191 	
material shoes	Nubuk-leather	
shoe size EU	44	
Category (PPE Regulation)	Category 2	

Other versions

item number	shoe size EU	shoe width
WL56657	36	W10 (standard width)
WL56672	36	W12
WL56687	36	W13
WL56702	36	W14
WL56658	37	W10 (standard width)

Products for the electronic industry













WL56688 37 W13 WL56703 37 W14 WL56659 38 W10 (standard width) WL56674 38 W12 WL56689 38 W3 WL566704 38 W14 WL566704 38 W14 WL566704 38 W14 WL566705 39 W12 WL56690 39 W3 WL56691 40 W10 (standard width) WL56675 39 W14 WL56676 40 W12 WL56677 40 W13 WL56706 40 W14 WL56677 41 W12 WL56679 41 W13 WL56670 41 W14 WL56693 42 W10 (standard width) WL56694 43 W10 (standard width) WL56699 43 W12 WL56694 43 W12 WL56695 44 W10 (standard width)	WL56673	37	W12
WL56703 37 W14 WL56659 38 W10 (standard width) WL56674 38 W12 WL56689 38 W13 WL56704 38 W14 WL56660 39 W10 (standard width) WL56675 39 W12 WL56690 39 W13 WL56705 39 W14 WL56661 40 W10 (standard width) WL56676 40 W12 WL56676 40 W13 WL56706 40 W14 WL56670 40 W14 WL56677 41 W12 WL56677 41 W12 WL56693 42 W10 (standard width) WL56678 42 W12 WL56693 42 W14 WL56664 43 W10 (standard width) WL56669 43 W12 WL56694 43 W12 WL56685 44 W10 (standard width) <td></td> <td></td> <td></td>			
WL56659 38 W10 (standard width) WL56674 38 W12 WL56689 38 W13 WL56704 38 W14 WL56660 39 W10 (standard width) WL56675 39 W12 WL56690 39 W13 WL56705 39 W14 WL56661 40 W10 (standard width) WL56676 40 W12 WL56676 40 W13 WL56706 40 W14 WL56662 41 W10 (standard width) WL56677 41 W12 WL56692 41 W13 WL56693 42 W10 (standard width) WL56663 42 W12 WL56693 42 W12 WL56664 43 W10 (standard width) WL56665 43 W10 WL56666 43 W14 WL56665 44 W10 (standard width) WL56666 44			
WL56674 38 W12 WL56689 38 W13 WL56704 38 W14 WL56660 39 W10 (standard width) WL56675 39 W12 WL56690 39 W13 WL56661 40 W10 (standard width) WL56675 40 W12 WL56676 40 W12 WL56676 40 W13 WL56691 40 W14 WL56692 41 W10 (standard width) WL56677 41 W12 WL56692 41 W13 WL56693 42 W10 (standard width) WL56678 42 W12 WL56693 42 W13 WL56694 43 W10 (standard width) WL56699 43 W12 WL56694 43 W13 WL56695 44 W10 (standard width) WL56696 44 W10 WL56695 44 W10 <td></td> <td></td> <td></td>			
WL56689 38 W13 WL56704 38 W14 WL56660 39 W10 (standard width) WL56675 39 W12 WL56690 39 W13 WL56705 39 W14 WL56661 40 W10 (standard width) WL56676 40 W12 WL56691 40 W13 WL56706 40 W14 WL56692 41 W10 (standard width) WL56677 41 W12 WL56692 41 W13 WL56693 42 W12 WL56693 42 W12 WL56678 42 W12 WL56693 42 W13 WL56694 43 W10 (standard width) WL56699 43 W12 WL56699 43 W13 WL56695 44 W10 (standard width) WL56695 44 W10 (standard width) WL56696 45 W10 (s			
WL56704 38 W14 WL56660 39 W10 (standard width) WL56675 39 W12 WL56690 39 W13 WL56705 39 W14 WL56661 40 W10 (standard width) WL56676 40 W12 WL56691 40 W13 WL56706 40 W14 WL56620 41 W10 (standard width) WL56677 41 W12 WL56692 41 W13 WL566707 41 W14 WL56671 41 W14 WL56672 42 W12 WL56673 42 W12 WL56670 42 W13 WL56694 43 W10 (standard width) WL56699 43 W12 WL56690 44 W12 WL56691 44 W10 (standard width) WL56695 44 W10 (standard width) WL56696 45 W10 (
WL56660 39 W10 (standard width) WL56675 39 W12 WL56690 39 W13 WL56705 39 W14 WL56661 40 W10 (standard width) WL56676 40 W12 WL56691 40 W13 WL56706 40 W14 WL56662 41 W10 (standard width) WL56677 41 W12 WL56692 41 W13 WL56693 42 W10 (standard width) WL56678 42 W12 WL56693 42 W13 WL56694 43 W10 (standard width) WL56664 43 W10 (standard width) WL56699 43 W12 WL56699 43 W13 WL56690 44 W10 (standard width) WL56695 44 W10 (standard width) WL56681 45 W10 (standard width) WL56696 45 W12			
WL56675 39 W12 WL56690 39 W13 WL56705 39 W14 WL56661 40 W10 (standard width) WL56676 40 W12 WL56691 40 W13 WL56706 40 W14 WL56662 41 W10 (standard width) WL56677 41 W12 WL56692 41 W13 WL566707 41 W14 WL56663 42 W10 (standard width) WL56678 42 W12 WL56693 42 W13 WL56608 42 W14 WL56693 42 W14 WL56664 43 W10 (standard width) WL56679 43 W12 WL56694 43 W13 WL56665 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56681 45 W10 (standard width) </td <td></td> <td></td> <td></td>			
WL56690 39 W13 WL56705 39 W14 WL56661 40 W10 (standard width) WL56676 40 W12 WL56706 40 W14 WL56672 41 W10 (standard width) WL56677 41 W12 WL56692 41 W13 WL56707 41 W14 WL56663 42 W10 (standard width) WL56678 42 W12 WL56693 42 W13 WL56694 43 W10 (standard width) WL56664 43 W10 (standard width) WL56694 43 W13 WL56695 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56681 45 W10 (standard width) WL56681 45 W10 (standard width) WL56696 45 W10 (standard width)			
WL56705 39 W14 WL56661 40 W10 (standard width) WL56676 40 W12 WL56691 40 W13 WL56706 40 W14 WL56602 41 W10 (standard width) WL56677 41 W12 WL56692 41 W13 WL56707 41 W14 WL56663 42 W10 (standard width) WL56678 42 W12 WL56693 42 W13 WL56708 42 W14 WL56664 43 W10 (standard width) WL56679 43 W12 WL56694 43 W13 WL56695 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56681 45 W10 (standard width) WL56681 45 W10 (standard width) WL56681 45 W10 (standard width)			
WL56661 40 W12 WL56676 40 W13 WL56691 40 W13 WL56706 40 W14 WL56662 41 W10 (standard width) WL56677 41 W12 WL56692 41 W13 WL56707 41 W14 WL56663 42 W10 (standard width) WL56678 42 W12 WL56693 42 W13 WL56708 42 W14 WL56694 43 W10 (standard width) WL56679 43 W12 WL56694 43 W13 WL56695 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56666 45 W10 (standard width) WL56681 45 W10 (standard width) WL56696 45 W12 WL56696 45 W12 WL56696 45 W12			
WL56676 40 W12 WL56706 40 W14 WL56662 41 W10 (standard width) WL566677 41 W12 WL56692 41 W13 WL56707 41 W14 WL56663 42 W10 (standard width) WL56678 42 W12 WL56693 42 W13 WL56708 42 W14 WL56694 43 W10 (standard width) WL56699 43 W12 WL56694 43 W13 WL56695 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56666 45 W10 (standard width) WL56681 45 W10 (standard width) WL56686 45 W10 (standard width) WL56686 45 W10 (standard width) WL56681 45 W12 WL56696 45 W13			
WL56691 40 W14 WL56706 40 W14 WL56662 41 W10 (standard width) WL56677 41 W12 WL56692 41 W13 WL56707 41 W14 WL56663 42 W10 (standard width) WL56678 42 W12 WL56693 42 W13 WL56708 42 W14 WL56664 43 W10 (standard width) WL56679 43 W12 WL56694 43 W13 WL56695 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56666 45 W10 (standard width) WL56681 45 W10 (standard width) WL56696 45 W10 (standard width) WL56696 45 W10 (standard width) WL56696 45 W10 (standard width)	WL56661		W10 (standard width)
WL56706 40 W14 WL56662 41 W10 (standard width) WL56677 41 W12 WL56692 41 W13 WL56707 41 W14 WL56663 42 W10 (standard width) WL56678 42 W12 WL56693 42 W13 WL56708 42 W14 WL56694 43 W10 (standard width) WL56699 43 W12 WL56694 43 W13 WL56695 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56696 45 W10 (standard width) WL56681 45 W10 (standard width) WL56696 45 W10 (standard width) WL56696 45 W10 (standard width)	WL56676	40	W12
WL56662 41 W10 (standard width) WL56677 41 W13 WL56692 41 W13 WL56707 41 W14 WL56663 42 W10 (standard width) WL56678 42 W12 WL56693 42 W13 WL56708 42 W14 WL56694 43 W10 (standard width) WL56679 43 W12 WL56694 43 W13 WL56695 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56610 44 W14 WL56666 45 W10 (standard width) WL56681 45 W10 (standard width) WL56696 45 W12 WL56696 45 W12 WL56696 45 W12 WL56696 45 W12	WL56691	40	W13
WL56677 41 W12 WL56692 41 W13 WL56707 41 W14 WL56663 42 W10 (standard width) WL56678 42 W12 WL56693 42 W13 WL56708 42 W14 WL56664 43 W10 (standard width) WL56679 43 W12 WL56694 43 W13 WL56695 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56666 45 W10 (standard width) WL56681 45 W10 (standard width) WL56696 45 W12 WL56696 45 W12 WL56696 45 W13	WL56706	40	W14
WL56692 41 W13 WL56707 41 W14 WL56663 42 W10 (standard width) WL56678 42 W12 WL56693 42 W13 WL56708 42 W14 WL56664 43 W10 (standard width) WL56679 43 W12 WL56694 43 W13 WL56709 43 W14 WL56665 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56610 44 W14 WL56666 45 W10 (standard width) WL56681 45 W10 (standard width) WL56696 45 W10 (standard width) WL56696 45 W10 (standard width)	WL56662	41	W10 (standard width)
WL56707 41 W14 WL56663 42 W10 (standard width) WL56678 42 W12 WL56693 42 W13 WL56708 42 W14 WL56664 43 W10 (standard width) WL56679 43 W12 WL56694 43 W13 WL56709 43 W14 WL56665 44 W10 (standard width) WL56680 44 W13 WL56695 44 W13 WL56710 44 W14 WL56666 45 W10 (standard width) WL56681 45 W10 (standard width) WL56696 45 W12 WL56696 45 W12 WL56696 45 W12 WL56696 45 W13	WL56677	41	W12
WL56663 42 W10 (standard width) WL56678 42 W12 WL56693 42 W13 WL56708 42 W14 WL56664 43 W10 (standard width) WL56679 43 W12 WL56694 43 W13 WL56709 43 W14 WL56665 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56710 44 W14 WL56666 45 W10 (standard width) WL56681 45 W10 (standard width) WL56696 45 W10 (standard width) WL56696 45 W10 (standard width)	WL56692	41	W13
WL56678 42 W13 WL56693 42 W13 WL56708 42 W14 WL566708 42 W14 WL56664 43 W10 (standard width) WL56679 43 W12 WL56694 43 W14 WL56709 43 W14 WL56665 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56710 44 W14 WL56666 45 W10 (standard width) WL56681 45 W12 WL56696 45 W12 WL56696 45 W12	WL56707	41	W14
WL56693 42 W13 WL56708 42 W14 WL56664 43 W10 (standard width) WL56679 43 W12 WL56694 43 W13 WL56709 43 W14 WL56665 44 W10 (standard width) WL56680 44 W13 WL56695 44 W13 WL56710 44 W14 WL56666 45 W10 (standard width) WL56681 45 W12 WL56696 45 W12	WL56663	42	W10 (standard width)
WL56708 42 W14 WL56664 43 W10 (standard width) WL56679 43 W12 WL56694 43 W13 WL56709 43 W14 WL56665 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56710 44 W14 WL56666 45 W10 (standard width) WL56681 45 W12 WL56696 45 W12	WL56678	42	W12
WL56664 43 W10 (standard width) WL56679 43 W12 WL56694 43 W13 WL56709 43 W14 WL56665 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56710 44 W14 WL56666 45 W10 (standard width) WL56681 45 W12 WL56696 45 W13	WL56693	42	W13
WL56679 43 W12 WL56694 43 W13 WL56709 43 W14 WL56665 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56710 44 W14 WL56666 45 W10 (standard width) WL56681 45 W12 WL56696 45 W13	WL56708	42	W14
WL56694 43 W13 WL56709 43 W14 WL56665 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56710 44 W14 WL56666 45 W10 (standard width) WL56681 45 W12 WL56696 45 W13	WL56664	43	W10 (standard width)
WL56709 43 W14 WL56665 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56710 44 W14 WL56666 45 W10 (standard width) WL56681 45 W12 WL56696 45 W13	WL56679	43	W12
WL56665 44 W10 (standard width) WL56680 44 W12 WL56695 44 W13 WL56710 44 W14 WL56666 45 W10 (standard width) WL56681 45 W12 WL56696 45 W13	WL56694	43	W13
WL56680 44 W12 WL56695 44 W13 WL56710 44 W14 WL56666 45 W10 (standard width) WL56681 45 W12 WL56696 45 W13	WL56709	43	W14
WL56695 44 W13 WL56710 44 W14 WL56666 45 W10 (standard width) WL56681 45 W12 WL56696 45 W13	WL56665	44	W10 (standard width)
WL56710 44 W14 WL56666 45 W10 (standard width) WL56681 45 W12 WL56696 45 W13	WL56680	44	W12
WL56666 45 W10 (standard width) WL56681 45 W12 WL56696 45 W13	WL56695	44	W13
WL56681 45 W12 WL56696 45 W13	WL56710	44	W14
WL56696 45 W13	WL56666	45	W10 (standard width)
	WL56681	45	W12
WL56711 45 W14	WL56696	45	W13
	WL56711	45	W14

Products for the electronic industry













WL56667	46	W10 (standard width)
WL56682	46	W12
WL56697	46	W13
WL56712	46	W14
WL56668	47	W10 (standard width)
WL56683	47	W12
WL56698	47	W13
WL56713	47	W14
WL56669	48	W10 (standard width)
WL56684	48	W12
WL56699	48	W13
WL56714	48	W14
WL56670	49	W10 (standard width)
WL56685	49	W12
WL56700	49	W13
WL56715	49	W14
WL56671	50	W10 (standard width)
WL56686	50	W12
WL56701	50	W13
WL56716	50	W14











5/5