

Safety shoe ERGO-MED 737 XP, W12, S3, smooth leather, unisex, black, size 44



At ATLAS®, only the best quality cowhides are processed. Extremely careful selection ensures that only flawless, high-quality and soft leathers are used. The ATLAS Waterproof smooth leather has to withstand special challenges throughout the entire working day. The approx. 2mm thick full-grain cowhide leather is particularly characterised by its lasting waterproofness and thus ensures dry feet for several hours. It is also particularly breathable, durable and dimensionally stable.

ATLAS® brings together state-of-the-art technologies and the anatomical needs of every wearer. The new INNOFLEX SYSTEM® is a holistic running sole concept and supports the runner in every phase of movement. From the first to the last contact with the ground, the sole complex is permanently guided by the same, natural line of force, the INNOFLEX LINE. It optimally guides the forces from the heel to the toe and thus supports the natural line of force progression. Special areas such as the CLOUDZONE in the heel are











responsible for the corresponding energy absorption, i.e. cushioning. The large-format tread surfaces, which are equipped with particularly energy-absorbing MPU® material, absorb the energy and return it to the movement process in a targeted manner. This guarantees fatigue-free walking throughout the entire working day.

With the puncture-resistant XP® technology, ATLAS® offers an innovative system to protect the foot against sharp objects such as nails. A high-tech textile material containing aramid fibres is used for this purpose. The increased safety is not at the expense of wearing comfort, because the textile is metal-free, extremely light and supports the natural torsion of the foot.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

Especially when kneeling, wear and tear can occur in the area of the shoe toe after some time. These can be significantly reduced with the help of the abrasion-resistant MPU toe protector and the service life of the shoe is thus increased.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung und zur Herstellung orthopädischer Zurichtungen (Sohlen- und Absatzerhöhungen) gemäß DGUV 112-191

ATLAS offers the models from the Ergo-Med series for orthopaedic care through shoe modifications. The articles marked with "blueline" are also suitable for certified orthopaedic modifications according to DGUV regulation 112-191.

item number	WL56739
model	ERGO-MED 737 XP, W12
model line	ERGO-MED 737 XP
manufacturer	ATLAS













manufacturer item number	15312-44
length with packaging	350 mm
width with packaging	250 mm
height with packaging	150 mm
order unit	1 pair
content unit	1 pair
colour manufacturer	black
Colour	black
protective cap	yes
shoe execution	safety shoe
safety class	S3
shoe sole	Outdoor sole technology
Slip resistance	SRC
Puncture resistance	XP metal-free penetration resistance
shoe width	W12
features shoes	Waterna of emacatle locations
	 Waterproof smooth leather Outdoor sole technology XP metal-free penetration resistance steel toe cap aktiv-X functional lining 3D cushioning system suitable for insoles and for the production of orthopaedic fittings (sole and heel elevations) according to DGUV 112-191
material shoes	 Outdoor sole technology XP metal-free penetration resistance steel toe cap aktiv-X functional lining 3D cushioning system suitable for insoles and for the production of orthopaedic fittings (sole and heel elevations)
material shoes shoe size EU	 Outdoor sole technology XP metal-free penetration resistance steel toe cap aktiv-X functional lining 3D cushioning system suitable for insoles and for the production of orthopaedic fittings (sole and heel elevations) according to DGUV 112-191

Other versions

item number	shoe size EU	shoe width
WL56717	36	W10 (standard width)
WL56731	36	W12
WL56745	36	W13
WL56759	36	W14
WL56718	37	W10 (standard width)
WL56732	37	W12













WL56746	37	W13
WL56760	37	W14
WL56719	38	W10 (standard width)
WL56733	38	W12
WL56747	38	W13
WL56761	38	W14
WL56720	39	W10 (standard width)
WL56734	39	W12
WL56748	39	W13
WL56762	39	W14
WL56721	40	W10 (standard width)
WL56735	40	W12
WL56749	40	W13
WL56763	40	W14
WL56722	41	W10 (standard width)
WL56736	41	W12
WL56750	41	W13
WL56764	41	W14
WL56723	42	W10 (standard width)
WL56737	42	W12
WL56751	42	W13
WL56765	42	W14
WL56724	43	W10 (standard width)
WL56738	43	W12
WL56752	43	W13
WL56766	43	W14
WL56725	44	W10 (standard width)
WL56739	44	W12
WL56753	44	W13
WL56767	44	W14
WL56726	45	W10 (standard width)
WL56740	45	W12
WL56754	45	W13
WL56768	45	W14
WL56727	46	W10 (standard width)













WL56741	46	W12
WL56755	46	W13
WL56769	46	W14
WL56728	47	W10 (standard width)
WL56742	47	W12
WL56756	47	W13
WL56770	47	W14
WL56729	48	W10 (standard width)
WL56743	48	W12
WL56757	48	W13
WL56771	48	W14
WL56730	49	W10 (standard width)
WL56744	49	W12
WL56758	49	W13
WL56772	49	W14







