

ESD boots ERGO-MED 846 XP, W10, S3, smooth leather, unisex, black/royal blue, size 42



At ATLAS®, only the best quality cowhides are processed. Extremely careful selection ensures that only flawless, high-quality and soft leathers are used. The ATLAS Waterproof smooth leather has to withstand special challenges throughout the entire working day. The approx. 2mm thick full-grain cowhide leather is particularly characterised by its lasting waterproofness and thus ensures dry feet for several hours. It is also particularly breathable, durable and dimensionally stable.

FUNCTION AND PERFORMANCE IN THE FRESH AIR

Wet and uneven ground, a wide variety of terrain profiles and adverse weather conditions. Especially in outdoor working environments, it's all about the right outsole. With the outdoor outsole technology from ATLAS® you are perfectly equipped. The individual tread blocks offer maximum flexibility for optimum contact with the ground and guarantee maximum grip. The coarse lug tread with a depth of 4.5mm significantly reduces the risk of













slipping on wet or slippery surfaces. With this sole, you are optimally equipped for outdoor use - from construction sites to green areas.

With the puncture-resistant XP® technology, ATLAS® offers an innovative system to protect the foot against sharp objects such as nails. A high-tech textile material containing aramid fibres is used for this purpose. The increased safety is not at the expense of wearing comfort, because the textile is metal-free, extremely light and supports the natural torsion of the foot.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

The overcap offers special protection against abrasion in the area of the shoe toe, protects the upper leather in this area against premature wear and noticeably increases the service life of the safety shoe.

Especially on cold working days, the ATLAS models with woven fur lining offer warm feet. The woven fur lining is pleasant, soft and offers high wearing comfort even in adverse weather conditions.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung und zur Herstellung orthopädischer Zurichtungen (Sohlen- und Absatzerhöhungen) gemäß DGUV 112-191

ATLAS offers the models from the Ergo-Med series for orthopaedic care through shoe modifications. The articles marked with "blueline" are also suitable for certified orthopaedic modifications according to DGUV regulation 112-191.

| item number | WL56779 |
|-------------------------------|---|
| model | ERGO-MED 846 XP, W10 ESD |
| model line | ERGO-MED 846 XP ESD |
| manufacturer | ATLAS |
| manufacturer item number | 52100-42 |
| GPSR manufacturer information | ATLAS-Schuhfabrik GmbH & Co.KG Frische Luft 159 DE-44319 Dortmund www.atlasschuhe.de |

Products for the electronic industry













| length with packaging | 350 mm |
|---------------------------|---|
| width with packaging | 250 mm |
| height with packaging | 150 mm |
| order unit | 1 pair |
| content unit | 1 pair |
| colour manufacturer | black / royal blue |
| Colour | blue, black |
| protective cap | yes |
| shoe execution | safety boots |
| safety class | S3 |
| shoe sole | Outdoor sole technology |
| Slip resistance | SRC |
| Puncture resistance | XP metal-free penetration inhibition |
| shoe width | W10 (standard width) |
| features shoes | Waterproof smooth leather Outdoor sole technology XP metal-free penetration resistance steel toe cap overcap woven fur lining 3D cushioning system suitable for the supply of insoles and for the production of orthopaedic adjustments (sole and heel elevations) according to DGUV 112-191 |
| material shoes | waterproof smooth leather |
| shoe size EU | 42 |
| ESD safe | yes |
| Category (PPE Regulation) | Category 2 |

Other versions

| item number | shoe size EU | shoe width |
|-------------|--------------|----------------------|
| WL56773 | 36 | W10 (standard width) |
| WL56788 | 36 | W12 |
| WL56803 | 36 | W13 |
| WL56818 | 36 | W14 |
| WL56774 | 37 | W10 (standard width) |

Products for the electronic industry













| WL56789 | 37 | W12 |
|---------|----|----------------------|
| WL56804 | 37 | W13 |
| WL56819 | 37 | W14 |
| WL56775 | 38 | W10 (standard width) |
| | | |
| WL56790 | 38 | W12 |
| WL56805 | 38 | W13 |
| WL56820 | 38 | W14 |
| WL56776 | 39 | W10 (standard width) |
| WL56791 | 39 | W12 |
| WL56806 | 39 | W13 |
| WL56821 | 39 | W14 |
| WL56777 | 40 | W10 (standard width) |
| WL56792 | 40 | W12 |
| WL56807 | 40 | W13 |
| WL56822 | 40 | W14 |
| WL56778 | 41 | W10 (standard width) |
| WL56793 | 41 | W12 |
| WL56808 | 41 | W13 |
| WL56823 | 41 | W14 |
| WL56779 | 42 | W10 (standard width) |
| WL56794 | 42 | W12 |
| WL56809 | 42 | W13 |
| WL56824 | 42 | W14 |
| WL56780 | 43 | W10 (standard width) |
| WL56795 | 43 | W12 |
| WL56810 | 43 | W13 |
| WL56825 | 43 | W14 |
| WL56781 | 44 | W10 (standard width) |
| WL56796 | 44 | W12 |
| WL56811 | 44 | W13 |
| WL56826 | 44 | W14 |
| WL56782 | 45 | W10 (standard width) |
| WL56797 | 45 | W12 |
| WL56812 | 45 | W13 |
| WL56827 | 45 | W14 |

Products for the electronic industry













| WL56783 | 46 | W10 (standard width) |
|---------|----|----------------------|
| WL56798 | 46 | W12 |
| WL56813 | 46 | W13 |
| WL56828 | 46 | W14 |
| WL56784 | 47 | W10 (standard width) |
| WL56799 | 47 | W12 |
| WL56814 | 47 | W13 |
| WL56829 | 47 | W14 |
| WL56785 | 48 | W10 (standard width) |
| WL56800 | 48 | W12 |
| WL56815 | 48 | W13 |
| WL56830 | 48 | W14 |
| WL56786 | 49 | W10 (standard width) |
| WL56801 | 49 | W12 |
| WL56816 | 49 | W13 |
| WL56831 | 49 | W14 |
| WL56787 | 50 | W10 (standard width) |
| WL56802 | 50 | W12 |
| WL56817 | 50 | W13 |
| WL56832 | 50 | W14 |









