

ESD safety shoe GTX 565 XP blueline, S3, smooth leather, unisex, black, size 36



At ATLAS®, only the best quality cowhides are processed. Extremely careful selection ensures that only flawless, high-quality and soft leathers are used. The ATLAS Waterproof smooth leather has to withstand special challenges throughout the entire working day. The approx. 2mm thick full-grain cowhide leather is particularly characterised by its lasting waterproofness and thus ensures dry feet for several hours. It is also particularly breathable, durable and dimensionally stable.

FUNCTION AND PERFORMANCE IN THE FRESH AIR

Wet and uneven ground, a wide variety of terrain profiles and adverse weather conditions. Especially in outdoor working environments, it's all about the right outsole. With the outdoor outsole technology from ATLAS® you are perfectly equipped. The individual tread blocks offer maximum flexibility for optimum contact with the ground and guarantee maximum grip. The coarse lug tread with a depth of 4.5mm significantly reduces the risk of

slipping on wet or slippery surfaces. With this sole, you are optimally equipped for outdoor use - from construction sites to green areas.

With the puncture-resistant XP® technology, ATLAS® offers an innovative system to protect the foot against sharp objects such as nails. A high-tech textile material containing aramid fibres is used for this purpose. The increased safety is not at the expense of wearing comfort, because the textile is metal-free, extremely light and supports the natural torsion of the foot.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

GORE-TEX functional lining offers best performance in wind and weather. Reliable waterproofing prevents moisture from penetrating. High comfort indoors, perfect protection outdoors, all year round. The GORE-TEX membrane allows foot heat and moisture to escape to the outside and thus ensures pleasant foot temperature control, even on hot days.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung und zur Herstellung orthopädischer Zurichtungen (Sohlen- und Absatzerhöhungen) gemäß DGUV 112-191

ATLAS offers the models from the Ergo-Med series for orthopaedic care through shoe modifications. The articles marked with "blueline" are also suitable for certified orthopaedic modifications according to DGUV regulation 112-191.

item number	WL57537
model	GTX 565 XP blueline ESD
model line	GTX 565 XP blueline ESD
manufacturer	ATLAS
manufacturer item number	36800-36
length with packaging	350 mm
width with packaging	250 mm
height with packaging	150 mm
order unit	1 pair

content unit	1 pair
colour manufacturer	black
Colour	black
protective cap	yes
shoe execution	safety shoe
safety class	S3
shoe sole	Outdoor sole technology
Slip resistance	SRC
Puncture resistance	XP metal-free penetration resistance
shoe width	W10 (standard width)
features shoes	<ul style="list-style-type: none"> • Waterproof smooth leather • Outdoor sole technology • XP metal-free penetration resistance • steel toe cap • Gore-Tex functional lining • 3D cushioning system • suitable for insoles and for the production of orthopaedic fittings (sole and heel elevations) according to DGUV 112-191
material shoes	waterproof smooth leather
shoe size EU	36
ESD safe	yes
Category (PPE Regulation)	Category 2

Other versions

item number	shoe size EU	shoe width
WL57537	36	W10 (standard width)
WL57551	36	W12
WL57538	37	W10 (standard width)
WL57552	37	W12
WL57539	38	W10 (standard width)
WL57553	38	W12
WL57540	39	W10 (standard width)
WL57554	39	W12
WL57568	39	W13
WL57582	39	W14

WL57541	40	W10 (standard width)
WL57555	40	W12
WL57569	40	W13
WL57583	40	W14
WL57542	41	W10 (standard width)
WL57556	41	W12
WL57570	41	W13
WL57584	41	W14
WL57543	42	W10 (standard width)
WL57557	42	W12
WL57571	42	W13
WL57585	42	W14
WL57544	43	W10 (standard width)
WL57558	43	W12
WL57572	43	W13
WL57586	43	W14
WL57545	44	W10 (standard width)
WL57559	44	W12
WL57573	44	W13
WL57587	44	W14
WL57546	45	W10 (standard width)
WL57560	45	W12
WL57574	45	W13
WL57588	45	W14
WL57547	46	W10 (standard width)
WL57561	46	W12
WL57575	46	W13
WL57589	46	W14
WL57548	47	W10 (standard width)
WL57562	47	W12
WL57576	47	W13
WL57590	47	W14
WL57549	48	W10 (standard width)
WL57563	48	W12
WL57577	48	W13

WL57591	48	W14
WL57550	49	W10 (standard width)
WL57564	49	W12
WL57578	49	W13
WL57592	49	W14