

Safety shoe GTX 745 GORE-TEX, W12, S3, smooth leather, unisex, black, size 49



At ATLAS®, only the best quality cowhides are processed. Extremely careful selection ensures that only flawless, high-quality and soft leathers are used. The ATLAS Waterproof smooth leather has to withstand special challenges throughout the entire working day. The approx. 2mm thick full-grain cowhide leather is particularly characterised by its lasting waterproofness and thus ensures dry feet for several hours. It is also particularly breathable, durable and dimensionally stable.

FUNCTION AND PERFORMANCE IN THE FRESH AIR

Wet and uneven ground, a wide variety of terrain profiles and adverse weather conditions. Especially in outdoor working environments, it's all about the right outsole. With the outdoor outsole technology from ATLAS® you are perfectly equipped. The individual tread blocks offer maximum flexibility for optimum contact with the ground and guarantee maximum grip. The coarse lug tread with a depth of 4.5mm significantly reduces the risk of

slipping on wet or slippery surfaces. With this sole, you are optimally equipped for outdoor use - from construction sites to green areas.

With the puncture-resistant XP® technology, ATLAS® offers an innovative system to protect the foot against sharp objects such as nails. A high-tech textile material containing aramid fibres is used for this purpose. The increased safety is not at the expense of wearing comfort, because the textile is metal-free, extremely light and supports the natural torsion of the foot.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

The overcap offers special protection against abrasion in the area of the shoe toe, protects the upper leather in this area against premature wear and noticeably increases the service life of the safety shoe.

GORE-TEX functional lining offers best performance in wind and weather. Reliable waterproofing prevents moisture from penetrating. High comfort indoors, perfect protection outdoors, all year round. The GORE-TEX membrane allows foot heat and moisture to escape to the outside and thus ensures pleasant foot temperature control, even on hot days.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung-DGUV 112-191

ATLAS® offers you a wide range of different orthopaedic insoles. The articles marked here are suitable for orthopaedic insoles according to DGUV regulation 112-191. The marking on the shoe is decisive for this.

Item no.	WL57642
Model	GTX 745 GORE-TEX, W12
Model line	GTX 745 GORE-TEX
Manufacturer	ATLAS
Manufacturer article no.	82112-49
GPSR manufacturer data	ATLAS-Schuhfabrik GmbH & Co.KG Frische Luft 159

	DE-44319 Dortmund www.atlasschuhe.de
Length with packaging	350 mm
Width with packaging	250 mm
Height with packaging	150 mm
Sales unit	1 pair
Content unit	1 pair
Manufacturer colour information	black
Colour	black
Protective cap	yes
Type of shoes	safety shoe
Safety class	S3
Shoe sole	Outdoor sole technology
Slip resistance	SRC
Penetration resistance	XP metal-free penetration resistance
Shoe width	W12
Features (shoes)	• Waterproof smooth leather • Outdoor sole technology • XP metal-free penetration resistance • steel toe cap • Overcap • Gore-Tex functional lining • 3D cushioning system • suitable for insoles-DGUV 112-191
Material (shoes)	waterproof smooth leather
Shoe size EU	49
Risk category (PPE regulation)	Category 2

Other versions

Item no.	Shoe size EU	Shoe width
WL84652	36	W10 (standard width)
WL84656	36	W12
WL84653	37	W10 (standard width)
WL84657	37	W12
WL84654	38	W10 (standard width)
WL84658	38	W12

WL57621	39	W10 (standard width)
WL57632	39	W12
WL57622	40	W10 (standard width)
WL57633	40	W12
WL57623	41	W10 (standard width)
WL57634	41	W12
WL57624	42	W10 (standard width)
WL57635	42	W12
WL57625	43	W10 (standard width)
WL57636	43	W12
WL57626	44	W10 (standard width)
WL57637	44	W12
WL57627	45	W10 (standard width)
WL57638	45	W12
WL57628	46	W10 (standard width)
WL57639	46	W12
WL57629	47	W10 (standard width)
WL57640	47	W12
WL57630	48	W10 (standard width)
WL57641	48	W12
WL57631	49	W10 (standard width)
WL57642	49	W12
WL84655	50	W10 (standard width)
WL84132	50	W12