

Boots GTX 945 XP Thermo, W13, S3, smooth leather, unisex, black/royal blue, size 39



At ATLAS®, only the best quality cowhides are processed. Extremely careful selection ensures that only flawless, high-quality and soft leathers are used. The ATLAS Waterproof smooth leather has to withstand special challenges throughout the entire working day. The approx. 2mm thick full-grain cowhide leather is particularly characterised by its lasting waterproofness and thus ensures dry feet for several hours. It is also particularly breathable, durable and dimensionally stable.

ICE-COLD WORKING WORLDS

Biting cold and fickle weather conditions: For these outdoor areas, it's all about the right outsole. With the ICE-AGE outsole system from ATLAS® you can reach your destination with surefootedness. This depends on the interaction of several factors: The ergonomic tread design of the MPU outsole provides extreme grip on cold and slippery surfaces (SRC) and optimum insulation of the shoe interior from cold bridges. At the same time, the

MPU midsole is primarily responsible for soft-bedding cushioning and energy absorption of the stepping movement. This combination guarantees the wearer unconditional support on all surfaces. See for yourself!

With the puncture-resistant XP® technology, ATLAS® offers an innovative system to protect the foot against sharp objects such as nails. A high-tech textile material containing aramid fibres is used for this purpose. The increased safety is not at the expense of wearing comfort, because the textile is metal-free, extremely light and supports the natural torsion of the foot.

Alu-tec® technology: The new lightness. Aluminium has not only served as a high-tech material in aviation and the automotive industry for years, but also in many ATLAS safety shoes today. The anatomically shaped aluminium toe cap is particularly light and shifts the centre of gravity of the shoe to the middle of the foot. This actively helps to prevent tripping accidents caused by imbalance. The thermally neutral behaviour of aluminium also prevents cold bridges from forming inside the shoe and thus guarantees a pleasant foot climate in all seasons.

The overcap offers special protection against abrasion in the area of the shoe toe, protects the upper leather in this area against premature wear and noticeably increases the service life of the safety shoe.

GORE-TEX THERMO LINE offers best performance in freezing temperatures. Reliable waterproofing prevents moisture from penetrating. High comfort inside with thermal lining, perfect protection outside, all year round. The GORE-TEX membrane allows foot heat and moisture to escape to the outside and thus ensures pleasant foot temperature control, even on warm days.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung-DGUV 112-191

ATLAS® offers you a wide range of different orthopaedic insoles. The articles marked here are suitable for orthopaedic insoles according to DGUV regulation 112-191. The marking on the shoe is decisive for this.

Article no.

WL57760

Model

GTX 945 XP Thermo, W13

Products for the electronic industry



| | |
|---------------------------------|--|
| Model line | GTX 945 XP Thermo |
| Manufacturer | ATLAS |
| Manufacturer article no. | 75513-39 |
| GPSR manufacturer data | ATLAS-Schuhfabrik GmbH & Co.KG Frische Luft 159 DE-44319 Dortmund www.atlasschuhe.de |
| Length with packaging | 350 mm |
| Width with packaging | 250 mm |
| Height with packaging | 150 mm |
| Sales unit | 1 pair |
| Content unit | 1 pair |
| Manufacturer colour information | black / royal blue |
| Colour | blue, black |
| Protective cap | yes |
| Type of shoes | boots |
| Safety class | S3 |
| Shoe sole | ICE-AGE outdoor sole technology |
| Slip resistance | SRC |
| Penetration resistance | XP metal-free penetration resistance |
| Shoe width | W13 |
| Features (shoes) | <ul style="list-style-type: none"> • Waterproof smooth leather • ICE-AGE outdoor sole technology • XP metal-free penetration resistance • alu-tec aluminium toe cap • Overcap • Gore-Tex thermal lining • 3D cushioning system • suitable for insoles-DGUV 112-191 |
| Material (shoes) | waterproof smooth leather |
| Shoe size EU | 39 |
| Risk category (PPE regulation) | Category 2 |

Other versions

| Article no. | Shoe size EU | Shoe width |
|-------------|--------------|----------------------|
| WL57729 | 36 | W10 (standard width) |
| WL57743 | 36 | W12 |

Products for the electronic industry



| | | |
|----------------|-----------|----------------------|
| WL57730 | 37 | W10 (standard width) |
| WL57744 | 37 | W12 |
| WL57731 | 38 | W10 (standard width) |
| WL57745 | 38 | W12 |
| WL57732 | 39 | W10 (standard width) |
| WL57746 | 39 | W12 |
| WL57760 | 39 | W13 |
| WL57774 | 39 | W14 |
| WL57733 | 40 | W10 (standard width) |
| WL57747 | 40 | W12 |
| WL57761 | 40 | W13 |
| WL57775 | 40 | W14 |
| WL57734 | 41 | W10 (standard width) |
| WL57748 | 41 | W12 |
| WL57762 | 41 | W13 |
| WL57776 | 41 | W14 |
| WL57735 | 42 | W10 (standard width) |
| WL57749 | 42 | W12 |
| WL57763 | 42 | W13 |
| WL57777 | 42 | W14 |
| WL57736 | 43 | W10 (standard width) |
| WL57750 | 43 | W12 |
| WL57764 | 43 | W13 |
| WL57778 | 43 | W14 |
| WL57737 | 44 | W10 (standard width) |
| WL57751 | 44 | W12 |
| WL57765 | 44 | W13 |
| WL57779 | 44 | W14 |
| WL57738 | 45 | W10 (standard width) |
| WL57752 | 45 | W12 |
| WL57766 | 45 | W13 |
| WL57780 | 45 | W14 |
| WL57739 | 46 | W10 (standard width) |
| WL57753 | 46 | W12 |
| WL57767 | 46 | W13 |

| | | |
|---------|----|----------------------|
| WL57781 | 46 | W14 |
| WL57740 | 47 | W10 (standard width) |
| WL57754 | 47 | W12 |
| WL57768 | 47 | W13 |
| WL57782 | 47 | W14 |
| WL57741 | 48 | W10 (standard width) |
| WL57755 | 48 | W12 |
| WL57769 | 48 | W13 |
| WL57783 | 48 | W14 |
| WL57742 | 49 | W10 (standard width) |
| WL57756 | 49 | W12 |
| WL57770 | 49 | W13 |
| WL57784 | 49 | W14 |