

ESD low shoe SL 60 blue 2.0, W12, S2, nubuck leather, unisex, black/royal blue, size 40



At ATLAS®, only the best quality cowhides are processed. Extremely careful selection ensures that only flawless, high-quality and soft leathers are used. The ATLAS SOFT nubuck leather has to withstand special challenges throughout the entire working day. The approx. 2mm thick full-grain cowhide leather is particularly characterised by its breathability and soft, comfortable feel.

ATLAS® brings together state-of-the-art technologies and the anatomical needs of every wearer. The new INNOFLEX SYSTEM® is a holistic running sole concept and supports the runner in every phase of movement. From the first to the last contact with the ground, the sole complex is permanently guided by the same, natural line of force, the INNOFLEX LINE. It optimally guides the forces from the heel to the toe and thus supports the natural line of force progression. Special areas such as the CLOUDZONE in the heel are responsible for the corresponding energy absorption, i.e. cushioning. The large-format tread surfaces, which are equipped with particularly energy-absorbing MPU® material,

Products for the electronic industry



absorb the energy and return it to the movement process in a targeted manner. This guarantees fatigue-free walking throughout the entire working day.

Alu-tec® technology: The new lightness. Aluminium has not only served as a high-tech material in aviation and the automotive industry for years, but also in many ATLAS safety shoes today. The anatomically shaped aluminium toe cap is particularly light and shifts the centre of gravity of the shoe to the middle of the foot. This actively helps to prevent tripping accidents caused by imbalance. The thermally neutral behaviour of aluminium also prevents cold bridges from forming inside the shoe and thus guarantees a pleasant foot climate in all seasons.

Especially when kneeling, wear and tear can occur in the area of the shoe toe after some time. These can be significantly reduced with the help of the abrasion-resistant MPU toe protector and the service life of the shoe is thus increased.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung-DGUV 112-191

ATLAS® offers you a wide range of different orthopaedic insoles. The articles marked here are suitable for orthopaedic insoles according to DGUV regulation 112-191. The marking on the shoe is decisive for this.

Item no.	WL58444
Model	SL 60 blue 2.0, W12 ESD
Model line	SL 60 blue 2.0 ESD
Manufacturer	ATLAS
Manufacturer article no.	46512-40
GPSR manufacturer data	ATLAS-Schuhfabrik GmbH & Co.KG Frische Luft 159 DE-44319 Dortmund www.atlasschuhe.de

Products for the electronic industry



Length with packaging	350 mm
Width with packaging	250 mm
Height with packaging	150 mm
Sales unit	1 pair
Content unit	1 pair
Manufacturer colour information	black / royal blue
Colour	blue, black
Incl. battery	no
Protective cap	yes
Type of shoes	low shoe
Safety class	S2
Shoe sole	MPU INNOFLEX system
Slip resistance	SRC
Shoe width	W12
Features (shoes)	• SOFT nubuck leather • MPU INNOFLEX system • alu-tec aluminium toe cap • MPU toe protection • aktiv-X functional lining • 3D cushioning system • suitable for insoles-DGUV 112-191
Material (shoes)	Nubuk-leather
Shoe size EU	40
ESD compliant	yes
Risk category (PPE regulation)	Category 2

Other versions

Item no.	Shoe size EU	Shoe width
WL58426	36	W10 (standard width)
WL58440	36	W12
WL58427	37	W10 (standard width)
WL58441	37	W12
WL58428	38	W10 (standard width)
WL58442	38	W12
WL58429	39	W10 (standard width)

WL58443	39	W12
WL58430	40	W10 (standard width)
WL58444	40	W12
WL58431	41	W10 (standard width)
WL58445	41	W12
WL58432	42	W10 (standard width)
WL58446	42	W12
WL58433	43	W10 (standard width)
WL58447	43	W12
WL58434	44	W10 (standard width)
WL58448	44	W12
WL58435	45	W10 (standard width)
WL58449	45	W12
WL58436	46	W10 (standard width)
WL58450	46	W12
WL58437	47	W10 (standard width)
WL58451	47	W12
WL58438	48	W10 (standard width)
WL58452	48	W12
WL58439	49	W10 (standard width)
WL58453	49	W12